X 4-20-77 Set P.K. ~ T.H. 52 #623104 #1

¼ corner south ¼ 31 Eyota 106-12
north ¼ 6 Orion 105-12.

9-1876 Hunter P 302 No 297 S 6 N Neal.
Corner missing, but on sworn testimony of Mr John Campion that orig corner came exactly between 2 fence posts on opposite sides of road, set temp point there for line south. S 1°10' E

6-1890 Thos Fraser. P 442 No 428 S 31 N 11 cases
James Campion
Corner long gone, found some posts P 302 also John Campions anere. post on north side just a little west, on south side just a little east set stone 2½ x 12 x 17 between posts which brings corner 1½ rods south of straight line of which settlers had long been aware of.
(over)

1/16 east set 2 stones 19.96 1/4 M&L S 59 1/2° W.
Bearing of 1/4 line north 1317.52 N 25' W

State Minn Hwy 52.
Corner lies 3' south Center line paving
at Station 481+61.0.

3-1971 having genuine corners at twsp corner S W 31 and S 31-32 set by T Fraser 5-1896 P 442. Could attempt to relocate S 1/4 or better yet 1/16 stone west of S 31-32 & it came nearer edge of pavement.

4-20-77 (1/16th E) Dug with backhoe on N edge of T.H. 52. Found 2 stones as recorded by Thomas Fraser in Survey No. 428. Stones together were 4" x 10" x approx. 15". 2 1/2' deep and 2' N. of N edge of pavement set small pipe on N side of stone and a 1/2" rod over the stone. Corner lies 1.18 ft. N.

1/4 Corner South 1/4 31 Eyota 106-12 #2
North 1/4 6 Orion 10.5-12

#623104

4-20-77 Doubled line and measure from 1/16th E. Point came about 3½' under pavement from N. edge of pavement of T.H. 52. Dug down with backhoe along the edge of the pavement and probed extensively but could hit nothing. Set a P.K. nail as the corner 6.9' North of center line at double the line and measure of the 1/16th East as per T.F. This corner 26.0 So. of a St. line between the section corners. Line with fence N & true line So

R.P.'s CSD in PP #16460 NW 47.21 N 42.34
Punch mark in top Center concrete post
R/W Monument S. 56.58

Gov. Notes 1853 Oct. Ball, Dep. Sur.
40.00 Set post and drove charred stake.
79.20 To Township corner

623104e S 74 COR 31 106-12 EYOTA

SET 1"x3" SURVEY MARKER NAIL. CORNER FALLS 6.4' N OF ℄ TH #52 + 29½' W OF ℄ EELO DR SOUTH. + IN LINE OF FENCE NORTH AND TREE LINE SOUTH

C.S.D. IN PP# 16460 NW 47.20' (47.21)

1" Sa PIPE W/CAP SSE 56.70' AT "OLDRE"