9-25-1968 set C/M. over 3" x 18" pipe & wood hub

1/4 Corner. south 1/4 32 Eyota 106-12. (1)
north 1/4 5 Orion 105-12.
Corner possibly wrong. See R.B. #623204
no courthouse records —

1968 J Kerr. run line between authentic stone at NW corner sec 5 Orion to boulder found 1939 at NE cor 5 (which to match school description of 1868 should have been 99' from corner to SW corner school property) stone found 1939 lies 104.65 from positive school corner. which would have brought corner near center road. Dug 4' wide chn center at least 6' west of C/M carefully to clay found nothing.
E-W line (N line Sec 5 5286.7 making a midway point 21 feet west of prop. line fence running south (over

at center 5 corner set comes under E-W 1/4 line fence and 18 feet west of N-S fence but at S 1/4 5 a true corner set from 2 stones south the corner lines with fence N-S.
Final- of NE 5 was set 99' from old school corner thus N 1/4 5 to be set midway would be 2.85' further west yet.
ae corner now lies - C/M 12" deep 2.5' south and .5' east of brace post running in field from corner post of fence running west.

- fence running west of lane north north 8.5' ±
- " " east " " " north 9.5' ±
- " " south east 21.0 ±
- corner post (center) of fence east and north NE 21.4.
- " " " " " running south of lane east 32.6

#623204 (2)

¼ corner south ¼ 32 Eyota 106-12
north ¼ 5 Orion 105-12

Gov. Notes 1853 Ball, Dep. Sur.
West between 5 and 32.
40.00 Set post and drove stake.