8-21-63 set CIM over boulder. (1)

#630305

section corner 3-4-9-10 Marion 106-13

No known records- boulder found and used as corner.
- CIM set over boulder, road graded later.

twin br. oak	N 52°30' W	69.0
12 in 10" br. oak.	N 90° W.	85.8
Dice in power pole.	S S W.	102.28
Dice in top fence post	W	34.9

CoHD B274 P3. 1962 - found boulder and 2" pipe BK 281

Lp	FP	NNW	37.52	twin oak NW	69.13
Spo in clump of oaks.		ENE	51.08		

Meas N 2642.2 to 1/4 3-4
CoHD 1937 B88 P73

Co H D B 281 1963 found 2" pipe
Meas south 2640.34 – north. to ¼ pos. 1002.66

JK 1949 B 41 P 46. Meas south 2641.02. Set 1/16 cor.
also point 132' north of 1/16 and 660.25 north of 1/16.

JK. 1959 B 75 P 44. Stone and iron Meas east 2631.0
south 2640.85 with 1/16 at 1320.42.

Co H D 1937 B 88 P 73. found stone. Meas north 2642.2

Gov't Notes: Oct. 1853 Wm A. Jones Dep. Surv.
Set Post at Corner To Sec. 3-4-9-10
B.T.'s Br. oak 13" N 5° E 30 lks.
Br. oak 11" N 12° W 175 lks.
Br. oak 8° S 32° W 113 lks.
Br Oak 7" S 53° E 76 lks.
5/17/89 FD R.R. SPIKE IN BLACKTOP
5/19/89 REMOVED R.R. SPIKE FD CIM IN GOOD COND.

SECTION CORNER 3-4-9-10 MARION 106-13 (2)

JUNE 1994 FD CIM 1' DEEP, SET REF PT. PK NAIL IN ℄ HENRY CT SE IN LINE WITH TOP CENTER TALLEST RADIO TOWER NE. T@ SEC COR 3-4-9-10 #630305

TO REF PT.
VA 90° 43' 37" dv 03
SLOPE 138.585 HOR 138.58

11-14-94 CHD SET 1" SQ PIPE W/CAP.

1/16 TH SOUTH

7-6-94 FOUND PIPE W/ P.K. NAIL IN TOP 11½" DEEP IN BLACKTOP CR #11.

C.H.D. DISK IN PP #21012 NW 59.07
NE COR BRICK ON ENTRY TO HOUSE #1301 SW 75.15