3/13/89 SET 16" CIM OVER 2 OLD CIMS

10-25-63 set CIM over 5/8" x 8" rod (stony) (1)

section corner 4-5-8-9. Marion 106-13

#630405

5-1871 Perry by Hunter P183 No 194. S 8 J Williams

Corner gone, reset from 2 B trees and stump & 3rd BT.

- Meas south. 39.96½ (2637.8' to corner set M&L.

- 16 west set stake M&L. 19.96½ (1317.7' to corner set M&L.

1929 JK B2 P47. Brabbe & Kohlmeyer.

set boulder with cross. (likely found stake or from B trees?)

- NW cor house SE 92.35 - N. "brook blazed NE 107.3

1938 JK B12 P62. found above stone gone. replaced RPS.

- Meas east 2644.98 set axle staff M&L.

drove 3/4" bolt in shell rock in place of boulder removed.

Note: T. Hunter BK 2 P. 5-6 7-1872 Sec. 8 found stake set by me from O.T. in Survey #113

OVER

1952 J K B55 P69.
run line mesh 2631.95 set ½" rod M&L.

1956 J K. B65 P43. ran & meas line N E corner & south on 18.43 (S) west meas 2628.0 recorded 2627.0 in figures. (2 chs)
set 1/16 south M.&L. 1313.5 for line west.

10-1963 found iron bolt placed as corner from RPs 1938.
dug out rocky road surface set C/N over 5/8" x 8" rod.
RPs 18" oak N E 187.3 — NW cor house S E 92.35
Disc PP S W 51.47 - Disc PP N W 57.15
Disc PP N E 61.94 - lines center roads E-W-N
and bushy fence south

Gov't Notes: Oct. 1853 W.M. A. Jones Dep. Surv.
N. 80.00 chains Set Post at Corner
B.T.s Br. oak 12" N 87° E 1045 lks
Br. oak. 4" N 84° W 35 lks
Br. oak 7" S 18° W 124 lks
Br. oak 7" S 73° E 85 lks.

SECTION CORNER 4-5-8-9 MARION 106-13 (2)

3/13/89 FD CIM DOWN 19" IN BLACKTOP ROAD, SET 16" CIM OVER OLD CIM, RP's @ #630405

CHD DISC IN PP # 18956 NW 57.22'
CHD DISC IN PP # 18264 SW 51.39'
CSD IN PP # 18957 NE 62.06'