CIM removed in Sewer Const.

10-25-63. ~~Set CIM in place of 1½" pipe.~~
CI reference set 50'E. by City of Rock. Engr.

¼ corner Center 5 Marion 106-13
CHISSLED MARK STRADDLES ON MH RIM V.F. 815/188
No records Corner Run in and used many years
#630509

RP CIM. ~~Spud~~ in power pole W 28.45
~~Spud~~ in fence post N E 97.4
~~Spud~~ in Cor fence post E 28.0

CIM. removed during San. Sewer Const. To REA Bldg.
by City Engr. dept. – Ref. Monu. Supposed To Set by
them 50' East. – Possibly a Manhole now in place here.

10-18-78 Removed CIM (Set 50'E on ¼ line by City Eng.)
for road grading. The C.H.D. set a ½" rod 19.93 E
on line to another ½" rod 69.93 E as reference.
The rods are on the S. side of the fence
on the N. side of the road East.

"City says they also had a CIM set 100' East of the Center"!

oct, 1857 John Fellows Pg. 41 NO. 63 Shows Survey in N.E. 1/4 N.E. 1/4 Sec 5

CHISSLED MARK STRADDLES ON MH RING
V. FANGMAN 8/5/88
RP'S 8D SPIKE & PLASTIC DISK IN P.P. 58.12' N W
65.70' TO P.K. IN S. END OF 30" CMP SE
50.00' TO 1/2" PIPE E.
69.43 TO 1/2" ROD FD EAST
44.15 TO PK IN N. END OF 30" CMP SE

(630509)C 5-3-99 MW EA MC

Center 5 106-13 Marion

fd Int Chisel marks on M.H. Ring Set Ref pipe S.E. before overlay project on CR#109

T@ Ref pipe 13' South of ℄ private drive

℞ P.K in PP#03321 to Cen 5

92°44'12 dh00 | 94°27'31" dh02

0°03'20 dh00 | 1°46'45" dh01

92°40'52 | 92°40'46 | ∴ 92°40'49"

℞ P.K in PP#03322 to Cen 5

328°08'34" dh00 | 330°34'28" dh04

0°06'02 dh00 | 2°31'46" dh01

328°02'32" | 328°02'42"

∴ = 328°02'37"

To Cen 5 (Int Chisel marks)

VA 89°41'43" dV00

Slope 103.88 Hor 103.88