9-3-1963 set C/M in place of limestone and pipe ①
3-22-85 Fd CTM ½" so. of pipe Cp. #630764
¼ corner 7-18 Marion 106-13.

4-1898 2nd Fraser P622 no 565 L18 J Smith, E Keene found corner past axed by Mr. E. Bennett as placed by him in place of orig past set in govt survey - tested by stump & witness tree and found correct.
-96 east drone stake M & L 20.00 (1320.0
-16 west set stone 4x5x18 on line & pos pipe mound, west 19.97 (1318.0 when 1872. (1235.52 to NW cor 18
-16 center NW ¼ set stone 4x9x24 at inters lines.
-16 center NE ¼ drone stake M & L 20.01½ on E-W ¼ line.
-16 south set stake M & L 20.03 1322.0

(over)

1948 J Kerr. B36 P51 NW ¼ L18 B Schoenfelder.
Run line NW 18 each found stone at 1236.37' then
1319.63 east to ¼ 7-18 total 2556.0'
Corner lies near 4" steel pipe up 5 ± at SW corner Costello
park back of Kepp construction. No ties also set center NW ¼ 18

1939 J Kerr B 16 P10. found stone set 1¼ pipe by stone
Meas west 2555.7.

B 51 P26 RPts ¼ between center 18 and N ¼ 18 2" pipe.
Center 8" elm AZ 64° 40 19.15 - Center 14" brook AZ 302° 30 23.7.
Center 22" elm AZ 234° 35 39.4.
Corr Note. Wm Jones. 1953
38.75 S.E. post of [illegible]
S.E. oak 12 N 45 W 22
[illegible]

1/4 Corner 7-18 Marion 106-13 (2)

5-31-89 set post/sign 1.0' East of C.I.M. #630704