7-2-1965 C/M (reset) over rod (after grading. (1)

#630804

1/4 Corner 8-17 Marion 106-13

(See T.4. Book 2 P 5-6 - Sec. 8 7-1872 Survey)

5-1871 Perry by Hunter P183 no 194 S 8 J Williams

found corner stake standing, set stone 3x4x24 in to place.
used to set center section 8 only. no mark.

1947 or late 1946. B 33 P4 J Kerr. al Lehmann.

found stone P183 3x4x24.

-16 west set 3/4" x 3 1/2' pipe M & L 1302.8

RP 1/4 8-17 1" iron pipe in fence line S. 36.0

1" iron pipe " " " SW 40.0

also prop cor rod N 33.0

Meas south. 2649.27

(over

B 49 P 32. Center 17 North 2649.27 – 1946.2 from NRW of U & 52 north.

B 73 P 52 Center 17 North set 1/16 at 1324.63
RP 1/16 corner – N 21° W to 10" brook 5.4'
set lot corners 311.54 S then 310' then 110' to Center 52.

RPs to C/M reset 7-2-1965 after grading

NW corner house.	SW	134.8
Disc in power pole.	S	32.8
1" pipe by power pole	S	32.98
punched cross in south end Culv	SE	42.48
" " " north "	NE	45.3.

T. H. field Book 2 P. 5-6 7-1872 Sec. 8-
found stake as set by me from Wit. Trees Jan. 20, 1870 in doing which we found old hole and part of stake.
Shows meas West 19.58 – 19.88

#630804 (2)

1/4 Corner 8-17 Marion 106-13

May 1, 1856 Thos. Hunter Pg. 7 No. 11 shows 1/4 post.

1/16 south 19.27 chs. M&L - B.T.'s (N 51 1/2° E 27 lks.) & (S 11 3/4° E 8 1/2 lks.)

Good Notch, W. Jones, 1853

40.00 St. post of [illegible] post

Bears N 7 W E 77

Bears S E 227

5/22/89 FD CIM IN E OF #143 DOWN IN NEW BLACKTOP