7-23-64 set C/Mones 3/4"x8" pipe in place of boulder. ①

1/4 corner 8-9 Marion 106-13
#630906
See also T. Hunter BK 2 p. 5-6
5-1871 Hunter P183 no 194 L8 J Williams.
Corner gone, all evidence & every "vestage" of B trees gone.
reset on sec line M&L 39.96 1/2 (2637.4'
-16 west set stake M&L 19.97 (1318.0'

4-1875 Hunter P267 no 265 L9 Andrew Pulte.
found. stake standing P183 used only to set Center 9.

1927 JK. B-3 P37. Scout camp.
set greenish pointed boulder as corner.
- Meas south 2631.5 - Meas east indefinate

1929 JK B2 P47. survey mostly plat shown.
corner shown sline - Meas S 2631.5 North 2647 not acc to Hunter P183.

4-1938 JK B12 P62. L9 Wm Carson. corner-stone boulder at Knoch
- definately ran W 1/4 9 to Center 9. 2637.68 total
set iron stake at M&L 1318.84 as 1/16 corner.
- ran from this 1/16 cor. north To axle shaft
total meas 1/16 line 2629.75 set iron bar at M&L 1314.87

1952 J.K. B.55 P4 L8 Philly Lake.
meas from center 8 (iron pipe in stones) east to pointed boulder
as E 1/4 8 2655.2. set 120 D as 1/16 M&L 1327.6

1956 JK. B65 P44. L8 ran complete E-W 1/4 line
this time. also aerial N-S 1/4 line so center corrected if
slightly in error - remeas & rerun center east. this line
2641.5 set 1/16 iron at 1326.45 (likely pulled 120 D.
- rerun east line of NE 1/4 8. on 18.43 @ west at N end P43.
coming to 16.3 west at pointed boulder at 1/4 8-9 see card 2.

#630906. (2)

Card # 2 1/4 8-9 Marion.

Continued line south on east line Sec. 8
(5) 16' east at 1/4 corner. doesn't explain how or if offset
further north made true projection or not.
Meas east side of SE 1/4 of no 2626.33 -
line came. 38.8 east of SE cor 8. Making (in notes)
correction of 11.4 which means stone at 1/4 8-9 lies 11.4
too far east. (Notes say "Corr. west 11.4' west of stone corr. location.
- Hunters survey of honored place cor N&L regardless
his meas. 2637.7 N&L.
this survey. disregarding 1 foot error additive N&L 2626.66
total 52 58 3.33 Really 5254.33. or 2627.16

(Over)

7-1964 found pointed boulder and rod witness.
placed C I M over 3/4 x 8" pipe ~~on~~ place of boulder.
Nail in hub in 14" red oak WSW 31.07
Disc power pole. N. 198.65,
1/2" x 48" rod up 1.5' E. 0.5'

Not known 2-1970 if orig stone used in extensive surveys
in 1938 B12 P62. was corrected or kink of 11.4 still in.

Geod Mon Wm Jones 1853
40.00 S.E. post of ~~g~~ ~~s~~ ~~c~~ ~~c~~
Bur Oak is N 65 E 1.0
~~m~~ ~~c~~ ~~k~~

6-1-89 Set post/sign 1.0' West of C.I.M.; old west fence laying on the ground 1.5' North, old fence N-S 12.5' East