6/20/89 FD 1" PIPE 6" ABOVE GROUND

#630909

1/4 corner Center 9 Marion 106-13.
4-1875 Hunter P 267 no 265 S.P. Andrew Pulte
set stake at true intersect of right lines.
- Meas south 40.03 (2642' with temp point M & L.
- 16 east set marked stake M & L 19.87½ (1311.75'
- 16 center SE 1/4 9 set stake M & L 19.94 (1316.0' E-W 1/16.

1927 J.K. B-3 P 37.
set stake 3"x 3" x 4½' with shell rock piled around it
- RPs 10" pin oak. SE 6' — 10" pin oak NNW 5.1'
stake in ground 3½' - lies 12' east of old fence and
76' north of fence running west
- Meas south 2640'

COVER

4-1938 JK B12 P62 Carson. found stake set 1927.
run & meas line west 2637.68 set iron M&L 1318.84.

1949 JK B41 P46 L. Fellows.
run & meas line north. 2632.4. set 1/16 M&L 1316.2 and also iron pipe 132' north of 1/16 cor property corner.
- ran & meas line east from above prop cor. 2624.09 to similar corner on east line of 9- see E 1/4 9.

1951 JK B52 P61 Brookside sub.
- ran & meas line E 1/4 9 to center reset M&L. Now 2618.5'.
- ran & meas N-S 1/16 line of SE 1/4 9. set M&L. 1318.65' for corner. sub, a pipe.

6/20/89 FD 1" PIPE 6" ABOVE GROUND 0.3 SOUTH OF CORNER POST TO FENCES E-W-N. SET REF ROD 101.06' NE (5/8" ROD)

01-1999

"630909" Cen 9

Marion 106-13

5/8" Pipe Set by Roger Brand at Intersecting Quarter lines.