#631205

6-5-62 set CIM in bedrock roadbed. (1)
8-17-71 removed CIM entirely for grading. RPS ~~only left~~ Recit 4-18-72.

section corner 11-12-13-14 Marion 106-13
1-1882 Hunter P372 No 363 S13 David Prond.
found stone set unrecorded survey 9-1873 when BT
stumps were plainly marked. SEBT stump still in place
found stone correct.
—Meas east 40.03 to temp stake set midway.

6-1898 H Fraser P631 No 571 S 14 G Marquardt
Could not find corner, corner washed out. found stumps of
SEBT which Hunter used P372. when he added that
corner came 14 lks (9.24' east of fence running south
— set stake as corner with stones piled around it
—16 west set small stake M+L at 20.00 chs.

6-62 B85 P45 Meas north to ¼ 11-12 2641.0
Meas east to corner set M+L 2640.0 — Meas west 2636.65

Cover

6-1962. set C/M in solid rock road ted by. witness tree and other notes and meas.

center	16" burr oak.	S 49° E	50.3.
center	16" burr oak	S 20° 45' W	67.5'
Sp	power pole. # D 110	N 70° 30' E	gone 142.85'

-16 corner east. 3/4" pipe M&L 1320.0.

-Sp PP ENE 106.5 – rust in east end fold cuts NW 27.05

-16 corner west 1/2" rod set M&L just off blacktop road. 1318.18 spud in PP SE 52.6 M&L @ 1318.17 spud in guy PNE 65.0.

8-17-71. removed C/M for grading set nut and nail in 2 oaks. 50.06 SE to head of 30D nail in nut NE side knarly 18" bl oak. 67.0 SW to nail 20D in nut on SE side knarly 18" bl oak.

New RP to 1/16 pipe east of C/M. – 29.5 N to eyebolt line power poles running east (Sedge) – 50' N to 3/8"x14" rod in hedgerow ap 2".

#631205 (2)

Card #2. 11-12-13-14 Marion 106-13

4-18-1972. used county portable jack hammer in new Road opened hole on 2 hub RPs. still in place.
- set CIM over short rod. and pin in center road.
- on removing CIM for grading nothing left but RPs.
as corner on bed rock.

4-13-81 Found CIM up ½" in road. Both reference trees still in place. Left as found.

Geol. Surv. Ohio, 1953

30.-- 5-- [illegible] 1- stone 11-12-13-14

6-Oak 11 W 60 E 15
" " 10 W 45 W 26
" " 9 S 34 W 23
" " 10 S 26 E 47

5-30-97 FOUND CIM DOWN 9" IN CRUSHED ROCK CR # 131
WITH HEAD BROKEN OFF.