9-21-63 set C/M over stone found. ①
9-18-72 reset short C/M over stone after grading
section corner 14-15-22-23 Marion 106-13
9-18-72 reset C/M Gen 9-15-75
5-1884 Hunter P 389 No 380 & 23 Anderson & Locke
#631405
found stone in center road set by W Marquardt
when stake with mound and pits were plainly seen.
– Meas east 39.93 (2635.38' to stake set N & L.

Corner stone boulder found C/M set over stone found.
9-21-63 – corner lies in line of fence west in center road.
Spike in power pole W 34.67
Spike in tele pole. SE 60.87

8-27-1970 CIM removed for grading, set ½" x 2' rod
- set ⅝" x 12" rod under fence west at 60.02 on transit line to arrow on scout trail marker 500'± west

7-18-1972. road cut, rod gone. trail marker removed.
- found stone 16" deep, set ⅝ x 28"± rod on west side of stone with 10" shorter CIM over stone.
- ~~4~~ 7.32 } NE to single punch mark in N end 18" farm drive culvert
- 31.22 } Question on RP's (1975) E.K. 8' N of E to same S end culv.
- 43.82 E to middle of 3 white plastic 1"± plugs of some sort on N side tele marker - ½ way up.
- 60.8 SE to 20 D shiny root beer cap on NE side tele pole - cut off to 5'± high (removed spud)

4°30' angle at section corner (corner E of direct line

#631405 (2)

Card # 2. 14-15-22-23. Marion 106-13.

12-9-1941 B26 P60 Meas N 2633.21 E 2634.4

5-1949 B41 P64 Meas W 1319.3 M&L To 2" iron at oft.
Meas N-S 1/16 line of E 1/2 sec 15 5272.43.

2-1959 B77 P37. ran line to 22-23-26-27.
no meas or 1/4 corner.

Govt Meas Wm Jones 1853

50.00 Set post at ... to ... 14-15-22-23.
Depressed heaped of charcoal, mound
trench, 1 pits. Planted cherry trees S.E. S.W.
W.E. + N.W.