8-4-1969 found CIM set by Co Hwy Dept. ①
set 3" riser in fresh blacktop level road surface.
5/14/69 3" RISER GONE CIM IN PLACE #631506
1/4 corner 15-16 Marion 106-13.
5-1874 Hunter P243 no 244 S 16 Kufer, Back-
found badly rotted remains of old stake Rosenaugh, Hall.
from stump of SWBT and spot of SEBT stump depression.
- set new marked stake.
-16 west set stone 3x6x15 M&L. 19.88½ (1312.4'

---

limestone found. 1" pipe riser. - CIM set then removed
to grade. reset by Co Hwy dept. short pipe set as
riser. in fresh blacktop level with road surface
½" rods on transit line under fence west at 100 and 200'
spike in power pole NNW 177.6

9-1951 JKerr B52 P60 L9 Dick Fontox.
found limestone in line fence west. placed limestone pieces around it with 1" pipe on S side.
- Meas north 2637.63 to 1" pipe set in old post hole

Co H D. B281 1963 1" pipe with riser,
Meas south to 15-16-21-22. 2635.8
Meas north to 9-10-15-16. 2639.28

Govt Mon. W. Iowa. 1853
No. 11 Set pile of granite stones
Bk-Ock 8 S 5 E 571
Bk-Ock 9 S 10 W 287
5/14/89 FD CIM DOWN 0.4' IN ℄ OF C.R. #11
10/16/02 (BK 281) RP's spike & disc, in P.P. SW 117.49'
spike & disc in corner post east 59.96'
top of 3rd steel fence post SE 72.24'
spike & disc in corner post west 61.65

1/4 COR 15-16 MARION 106-13 #631506 (2)

JUNE 1994 FD CIM 1' DEEP. SET REF. PT. 1" SQ PIPE W/CAP W SIDE CR 11 4' E OF N-S POLE LINE + 5' N OF E-W POLE LINE.

T@ REF. PT

ART STATE TRAVERSE PT TOP OF HILL E. DITCH CR #11

TO 1/4 COR 15-16

205° 01' 47" dh 02 22° 06' 44" dh 02

124° 57' 40" dh 03 302° 02' 42" dh 02

80° 04' 07" 80° 04' 02"

TO 1/4 COR 15-16

VA 86° 12' 56" dh 02

SLOPE 57.985 HOR 57.86

11-16-94 CHD SET 1" SQ PIPE W/CAP.