#6316061

7-2-1962 set C/M over orig stone. ①

1/4 corner 16-17 Marion 106-13.
5-1874 Hunter P243 no 244. L16 M Kuefer, R Bark
Rosenough.
Corner gone. found NEBT and stump & SWBT.
notes did not agree. so run line from NW 16 over
1/16 south 20 chs set in survey no 11 and reset corner with
stone 2½ X 10 to point X 22 as 1/4 16-17.
-16 North found old stake & witness tree Survey no 11
set M & L 20.00 reset with new stake found B 20 P 42.
-16 east set stake M & L 19.97 (1318.0 to L. Sat Center 16.
-16 Center NW 1/4 16 set stake M & L 19.98½ (1319.0' on
EW 1/16 line of NW 1/4 16

OVER.

1946 B20 P42 Sam Winckler - corner gone or ~~do~~ not found, set square iron tube on line center 16 over 1/16 stake found. (placed 3/4" iron in place of stake) which came 1315.85 west of center. doubled these set corner on this line at 2631.7 with 3 x 12 x 39 limestone over iron.

1952 B53 P36 set 120 D as 1/16 north M & L

1321.32 R 1320.0

4-1882 Hanten P376 no 367 L17 A Stettnis.
found stone P 243
-16 south found stone on line but 5 lks north of midway
set stake M & L 19.93 1/2. (1315.7 then 9.58 (632.28
to road then 10.35 1/2 (683.43 to L E cor 17.
see card #2.

B35 P37 H Schmidt used 1/16 cor. south no dist
apparent meas to L 52 south 4 1/16 531.13. see card # 2

#631606

Card # 2 1/4 16-17 Marion 166-13

(2)

2-1960 B78 P46.
found 1/16 cr between 1/4 16-17 and SW16 gone.
found crone 33' east for 2 lots south of 165' each.
set iron north 165' or 33' east of once used 1/16 corner.
did not replace 1/16 corner. destroyed by culvert placement.

4-2-1962. set C/M. over stone as found & used.

Sp - power pole.
" " "
" 24" red oak
rod each

SW ~~43.5 ± 48.8~~
SE 42.42
NW 51.25
33.0

B-7, 24, ? 1 ? P14 ? found stone at 1/16 betw W 1/4 16 and S 16 1321.7 (Cored Lane bears stone Hunter found 5 lks north of midway. Hunter set stake M&L 1315.7'

1965 B92 P23. C A BOOKE.
New line from 1/16 cor betw center 17 & S 1/4 17 east thru Prado stables. 2623.0 set corner at 1800.17 - the 1/16 line 12' west of corner fence post and line M&L 1321.0 betw center 17 and S 1/4 17.

Oct. 1941 A. Armstrong - personal Book 3 p. 53
Found 3/4" pipe over Stone From J. Kerr Ties.
also fd 1/16 Stone (4"x12"x18") on edge South (meas. 1315.55 N & S)

M & B - Nov. 1979 records on Plat (Marion Terrace)
That 1/4 Cor. is a 1/2" rod found
10/14/62 CHD 1/4th South of 1/4 16,17 found 4"x12"x18" limestone
Rp's spike in P.P. SW 58.8' spike in 8" oak west 73.6'

#631606 (3)

1/4 Corner 16-17 Marion 106-13

May, 1856 Thos Hunter pg. 7 No. 11 Shows 1/4 Post

1/16 North 19.89 chs. M&L-B.T.'s (N 66¾° W 84 lks.) & (S 74° W 70 lks.)

1/16 South 19.90 chs. M&L-B.T.'s (N 68° W 89 lks.) & (S 76° W 50 lks.)

meas. west 39.45 chs. to Center Sec.

Govt Notes, Wm Jones, 1853

40.00 Set post w/ govt. stone post

Bur oak 6 N 50 E 70

Red oak 16 S 65 W 60