#631609

5-16-1962 set C/M over stone

1/4 Corner Center 16 Marion 106-13.

5-1874 Hunter P243 no 244 S 16 Kuper, Back, Hall Rosenaugh & other

set stone 3 x 5 x 17 at miter lines.

-16 North set stone 2 x 7/11 x 18 M&L 19.94 (1316.04'

-16 east set stone 3 x 6 x 15 M&L 19.88½ (1312.4'

-16 west set stake M&L 19.97 (1318.0'

-16 south set stone 4 x 4 x 30 M&L 19.98½ (1319.0

-16 Center NW 1/4 16 set stake M&L 19.98½ on E-W 1/16 line

1940 B20 P42 Sam Winckler found stone 3' deep set stone 2½ x 12 x 18 on top.

-16 east found stone P243 No meas given.

-16 west found stake " at 1315.85.

-16 south found stone " at 1318.35

(over

1964 B88 P34 NE 1/4 16 Macker
Run E-W 1/16 line of NE 1/4 16 set iron M&L 1313.2
and also iron 1/64 cor 656.2 east of 1/16 north of center 16 which
line M&L 1316.0 - North line of NE 1/4 1" pipe M&L 1313.72
- east line of NW 1/4 of NE 1/4 1317.44

5-1962 B85 P37 set C/M over limestone.
-16 south found limestone - this term at 1318.42
RP center 16' - center 36" cottonwood E 13.5
" 16" black walnut N 79.0

Garrison PI by E line farmyard
JK 24.72 B6 D45
24.8 NEly to cross fence & wall.
JK 12.98
12.92 SEly " "
77.0 WSW to 40D S side tree.
43.7 NNEly to hard nail in knot
on W side PP 17822.

PI in road about center Egypt
a street running Northly
98.23 NE to SW corner Home F.
109.93 NW to SE " " "

RP to PI not on N-S 1/4 line.
at N.W. corner Dorrah sub. lot.
35.71 Sly to prop corner NW Cor
43.4 Wly to o/s Sand 30" Calv.
51.77 Sly to angle iron in fence W of"