8-26-63 set CIM over pipe in old stake remains (1)
9-10-67 reset CIM after road grading project
#631704
4-12-78 Set new CIM.
1/4 Corner 17-20 Marion 106-13
4-1882 Hunter P376 no 367 & 17. A Stebbins
B tree gone, dug in center road N-S-E found.
remains of old stake set new brook stake, marked
- Meas east 39.81 (2627.46'
- 16 North set stake M&L 20.01 (1320.66'

5-1953 B57 P32 & 17 Fritz Vandel.
found remains of stake P376 with point in clay soil.
- set 1 1/4" pipe driven thru old stake.
- Meas east 2627.3 - set section corner west

(over)

at 2627.3 and on this line. which fit lines and fences.

11-1965 B92 P23 ½" rod at 1/16 north M&L 1321.0
from which line run east 2623.0 to 1/16 cor by Faith Church
on E line Section 17.- points set at 1800.17, then 461
then 361.8 to 1/16 cor.

C/M set 8-26-1963 removed for grading, reset 9-10-1967
steel above orig pipe driven thru wood stake.
REA marker cap N side power pole. W 30.37
Sp 18" fr oak SSE 94.5
bottle cap west side Tele pole. SE 59.6
rod under fence W 50.0
lines center road E-N-S slightly N of fence west.

(2)

1/4 Corner 17-20 Marion 106-13
#631704

4-12-1978 Dug down to broken C.I.M. Set a new C.I.M.
R.P.'s: C. Serv. Disc in telephone pole S.E. 59.56
C. Serv. Disc in pp# 18306 W. 30.33
Punch hole W. end 15" C.M.P. SSW 84.90
Corner falls in ℄ roads N-S-E

May, 1856 Thos. Hunter Bk 7 No. 11 shows 1/4 Post.
1/16 North 19.55 Chs. M℄L. - B.T.'s (N 19½° E 130 lks.) (S 80¼° W 104 lks.)

Govt Notes. W— Jones 1853

59.70 Set post & pointers each corner

Brick 2 N 14 E 25
" " 1 S 17 W 40