5-21-1961 set C/M over limestone (1)

#631805

section corner West 18-19 Marion 106-13

East 13-24 Rock 106-14.

4-1898 2t Fraser P622 No 565 S18 J Smith.

E Keene.

dug 3' deep for old post aneed by Mr John Forbes as true corner. Set stone 5x6x40 in places of remains of old fence post found.

-16 east set stake & stone on line 19.01 then 19.97 to stake & stonesfound. 2' each corner post.

-16 North set stake & stone 4x6x20 M&L 19.95

-16 center SW¼ 18 set stone 2½x9x18 & stake. at inters lines.

5-1961 J Carr.
found limestone & pipe set to preserve corner.
set C I M over limestone.
- corner lies on south side large red cedar corner post.
- Meas North 2636.7 to NE cor Southport sub 1/4 cor.

Co H D. B 230 P 7. 1958± Meas from corner west to Center road. 363.7. angle at road east to NW 97°35'

Geo Nims, Wm. J. Nims, 1853
30.00 Set post ..... to Stone 13-15-19-24
Black Oak 5 S 25° W 52 lks
" " 6 N 2° W 244 lks
Bl. Oak 14 S 42° E 27 lks
Black Oak 12 N 18° E 244 lks.

3-4-88 Fd bottom plate of C.I.M. in frozen ground will reset Over Stone it falls on North side of Newer Fence post.

SECTION CORNER W 18-19 MARION 106-13 (2)
E 13-24 ROCH 106-14
#631805
3/29/89 DUG OUT CIM'; FD STONE BENEATH
SET 16" CIM OVER STONE, MON. IS 0.5' NORTH
OF FACE OF WOOD JUNCTION POST IN LINE OF
FENCE N-S, THE CORNER LINES WITH SOUTH EDGE
OF DITCH RUNNING WEST RP.
CSD IN PP # 17962 NORTH 27.01'