1/4 22-23 Marion
Pull C/M Grading 8-27-70
fence cap in TP Wash NE 48.6.
pipe in PP 160645SW 194.5
Most N of 2 rows hits in
windbreak runs E-W S 152.
½ x 2' iron 4' end dead 166.51
on ag line to black rock
w barn in line S row hits
40'± E & ∠ rod. S 14° 30' W.
Angle at 1/4 corner.
45" from straight line
small side of east
(barn gone - red gone - Telephone
gable PP AP Most runs pole E.

#632306

Gate Mts, Wm Jones, 1853

40.00 Set post of gate and record
Corner thence S, mark mound, thence
S pits. Planted cherry trees
N.E. & S.W.

#632306

8-15-69 set C/M over orig stone.

8-27-70 C/M spalled by grading set rod 2.00 back to post

1/4 corner 22-23 Marion 106-13.

5-1884 Hunter p 389 No 38 L 23

found stone in center road placed by Wm Marquardt in past years in place of orig govt stake.

- no meas north or south

- set 1/16 stake east N & L 19.96½ 1317.7

8-15-69 JKell found stone after pushing line from 12" sq conc post at center 23 over conc post at 1/16 corner west of center meas 1317' from meas center conc post to west edge conc post at 1/16 west of center 23

-over

Meas west & run line over open field: set nohead on center main N-S road: meas 1316.7
found stone east .45 and north flair 1.3' which could have easily been disturbed if cone corner post were straight
– beer cap on tele pole. west side NE 48.6
– pepsi cap on power pole # 1606f SSW. 194's+
– most northerly of 2 rows of windbreak trees running E and W. - meas ℄ road S. 152'+