9-21-1963 set CIM new pipe. (fd 5/8" rod over CIM 5-20-1974 / #632405

section corner 23-24-25-26 Marion 166-13 ①

6-1877 Hunter P318 No 312 d 25 James Canyon. found remains of old stake in center road. Claimed to be where orig corner stood - set boulder stone 6x10x15 in place.

- Meas east 39.94 1/2 2636.37
- Meas west 40.00 2640.0
- Meas north 1 mile NW 24 south to 1/4 1/4 35-36 199.36. 13157.76 making 2/5 79.74 2/5 (5263.1'
act meas north to NW 24 79.74 (5262.84

6-1901 R Fraser P706 No 620 d 24 J. Daly. B10P37 found boulder in south track road. found meas correct. —1/2 North. found limestone, correct, about 12 the north of fence - don't say which direction fence or any meas.

1940 J Kerr B 20 P 33-34 O'Neill meas line betw S 25 and S 26. set or found stone at S W 25 5263.33

9-1963 set C I M over pipe at corner location
8-1969 only remaining R P S. Disc T P S E. 44.4
Disc power pole. W N W 135.22
face of dead end sign ~~on old wood post~~ ~~S S W 60.65~~
5-20-1974 JM = New Steel Post 5/8" rod S S W 46.5
C I M now 14" deep in new grade. set 4" x 11" rod near
when blacktopped will put in short C.I.M.
- meas east now 2636.25 R 2636.37.
- meas south set C I M at 1940 record 5263.35.
- meas west 1940 2637.25

Note J Kerr. 6-21-29 Book 1 P 27 found. N E corner Sec 26
meas south - set hub at 5280 - found E 1/4 35 at 7895.
set final corner. 5263.3

#632405 ②

section Corner 23-24-25-26 Marion 106-13

1935 - C.H.D. Book # 87 page 71 Found stake on South side of boulder 1 Ft. below surface.

1940 CHD Rips Hub SW 19.9, Spike in T.P. #117 NW 43.9'

Gate Norm, Wm. Sours, 1953 X in north end culv NE 43.8'

90.00 See page at corner to sections 23-24-25

Make mound, trench, + pits. Planted cherry

trees NE + SW. + Plum trees S.E. + N.W.