6-17-69 set C/M on bed rock in place orig stone. stones E-W-N

#632704

¼ Corner 27-34 Marion 106-13 ①

6-1876 Hunter P297 No 292 L34 Brackenridge Stilwell.
found stone in mound -
-16 south set stake 19.95½ N&L.

6-1892 H Fraser P492 No 466 L27 Bennett Bros.
found boulder stone P297.

~~6-1930 JKerr B 3 P35 Surv Line 27 found~~ S ¼ 27 Midway 26363

5-1940 J Kerr B20 P33 L27.
found stone 2624.95 south of center 27.
16 North set large limestone in clean soil 3x12x24 N&L. 1312.47

See Book 8 of 14
N&L 2640.55
Set Douglas Adopted stone.

6-17-69 J Kerr. run & meas line from ½ rod with stone on N&S sides under power line at L E corner small subdivision
½ North of Center 27.

-over.

Meas 1/16 south to center 1310.7 R. 1313.23.
center 1/4" pipe in boge with L Stones on E & W sides.
- Meas south found 3 x 12 x 24 stone at 1315.5 - 1' east of projected line from iron at 1/16 over pipe at center.
- Meas south on 100° West found limestone 3 x 10 x 13 just north corner post in line fence E-W-S. common land north.
- total 1/2 mile 2626.32 - corner .58' east of line run which would make stone east of pipe at center true line.
- fel rock 24" down - set C/M on aluminum TV dinner plate with org stone on east side, other stones on N & W sides.
- No reference, line fence E-W-N- 1/2" conduit up 16" just south of Mon.
- 16 North reset corner, set steel fence post up 30" with org stone on west side - equally large stone on east side - numerous smaller stones around below. 1314.4 north - 1312.9 1/16 corner to center 27.

1/4 corner 27-54 Marion 106-18

#632704 (2)

Gore Mine, Wm. Jones 1953

40.00 Ft. pass of gravel and coarse sand mixed with clay and decomposed charcoal. Mine consists of pits & placed W.E., S.W. along strike.