X 8-1980 Set CIM #632804 (1)

1/4 corner. 28-33 Marion 106-13

(5) 1872 Hunter P198 no 208 L28-33 J. Shehan. F. Andrews.
also 10-1872

found corner fence post agreed by Mr Cavanaugh to have been set in center mound.

-16 south set marked stake M & L 20.03. (1322.0 N½E

-16 north set marked stake M & L 19.70 (1300.2 N½E

6-1877 Hunter P 316 no 310 L. 33. W Brackenridge.

found post used P. 198 accepted as corner.

-16 west set marked stake M & L. 20.03½. (1322.~~15~~ 31'

6-1930 J Kerr B 3 P 35 L 27-33-34. Town Board

(OVER)

Meas from corner post at NW 33 east.
Notes say 5274.4 - drawing says 5279.4
this to NE 33 as set - now CIM set Reference line from
1/4 stone 33-34 over 1/16 stone mark found. 2317.95'
No mention of 1/4 line: farm boundry fence row running S.

8-28-1980 1/4 Cor 28-33: Dug with backhoe. Found 7"x8"x12" boulder with remains of stake on South side down 1'. Removed boulder and stake and found then over a dark spot (possibly post mark). We dug over a large area but did not scrape any of it to clay since we found the 3rd so easily. We drove a 1" sq. by 35" iron where the stake stood and set a CIC on telepo over it. Set the boulder back on the North side of the pipe. Set a survey marker sign and post 1.2 West. The corner lines with new fence South and is appx 1' West of the older posts in the fence South.
RP: CSD West side brace post South 30.13.

1/4 Corner 28-33 Marion 106-13 (2)
#632804

8-28-1980 1/16 North: Dug over spot M&L to computed Center 28 from 1/4 Cor 28-33 found. Found 12" square mark 3' deep, the center of which was midway and .4' East of line. Mark extended 1' down into clay.

8-29-1980 1/16 West: Dug with backhoe and found stake remains packed in stones 1' deep. Dug down for 1' of stake, then drove a 120d spike in the remainder.

Redug this later Farther East since we overran Hunter 0.94' to a 1/4 Cor 28-33 From stake found here. Found nothing

6-29-89 FD. C.I.M. at surface in line with fe. N-S fe. W no longer standing. C.I.M. is 0.9' S of old C.P. ; sign & post 1.2' W