7-27-1964 set CIM over engraved mon. Card in SW 31 Marion #633105 Card 1

Township corner. SW 31 Marion 106-13
NW 6 Pleas Grove 105-13.
NE 1 High Forest 105-14
SE 36 Rochester 106-14.

corner set by Hunter according to law - no records
6-1892 H Fraser P50 2No 472 S6 J O'neal, J Burne
M Argue.
found above engraved township monument
-south set stake 9.81 (647.46) then 21.305 (1406.13)
then 8.75 (577.5) to W¼ 6 quarry stone set M & L
or 263.09.

(over)

7-1964 J Kerr preserving corners set CIM over iron.
Spud - c.s.D above spud
Spud - power pole # 193 NE 66.08
Spud top 10" creosoted post 3' high NW 20.1
Top RR Tie on post [illegible] SE 88.02 checked 1974
Dice power pole = #9339 SE ~~71.23~~ 71.36
Tele. Pole (disc on W. side) SW ~~75.95~~
9-1933 J Kerr. B9 P5 & 31 Otto Paeche.
found stone - meas south 2634.8 to stone found. RPs. W'46.
run line north to 1/16 corner post averred by John Cochran as cor post set in survey when he was present 3937.9 set 1/4 cor at 2625.34
8-1950 J Kerr. B51 P3 Lilburn nelson fencing line north.
meas north 2625.34 - south 2634.32

1974 Co. Surv. - fd CIM in N.W.ly Road ditch. - offset To North and ran line West - found N.1/4 1 - H.F. Twp.
See Corrected R.P.'s above

Township Corner
S.W. Corner Section 31 Marion

Card # 2

106-13

C.H.D. - 4-1917 Book # 18 page 26 fd township Corner stone

#633105

June, 1863 P.C. Compton Pg. 82 No. 104 Shows Sec. Cor used to set 1/16 North m & L (No. Meas.)

1962 CHD fd engraved limestone.
Rp Old tie spike in 10" twin Oak NNW 28.1