8-8-1961 set CIM over rod - removed 7-14-65 replaced 6-1969.

#633205 (1)

section corner South 31-32 Marion 106-13.
North 5-6 Pleas Grove 105-13.

6-1892 H Fraser. P502 No 472. L6. John O'Neill, John Burne, M Angus.

found boulder stone set as corner. ?
-16 south set stone and stake N&L. no mark.

5-1952 J Kar. B55 P16 L31-32. Lithrup Nilsen.

found boulder stone 2643.4 south of 1/4 31-32
- run line east to L32-33 found. direct line 5277.05'
set 1/2" rod at L 1/4 32 N&L 2638.52

[over

8-1961. set C/M. as corner. with pipe below.
set 3/4" pipe under fence. south 100.0' - Spad PP NW 48.5.

7-14-1965 removed C/M for grading road set new transit
tie - rod NNW and nail in old box elder tree. set 1/2" rod.

6-19-1969 came to reset C/M. found tree blown out by route
road fill deep.. finally found rod in pasture NNW and pipe
100' south.. found rod set C/M again.
- Orang Cap in power pole #24999-D13-31-1.0-18.0 NW 48.5
- punched cross in east end 24" galv road North NE 32.62
- " " " west " " " " " NW 34.62
3/4" pipe under fence at 100' still in place. - just a bit east of corner
line south - railroad tracks east 198' ± to 275.2 total
7-31-69 re-run line east to reset S 1/4 32. see S 1/4 32.

Card # 2 N 5-6 Please Done. 105-13. (2)

S. 31-32. Marion 106-13

#633205

5-1917 Chas Armstrong Personal Book K page 19.

in Ashd possession

stone shown as corner

16 S. shown as stone with mark

19.62 (1294.92

19.84½ (1309.77 to ¼ 5-6 then

Now C/M over stone.

set 8-1969

C.H.D. -1927 Book 45 page 147 Found stone 12"x14"x14

Ties - Hub N.W at Corner of Fence 40.5

spike in fence post South 350

Gore Orr. Wm. Jones, 1853

30.00 Set post + drive chained stake corner to sec.
5-6, 31-32 Built mound with trench. Planted
S.E. Osage Orange, N.E. two stakes

1962 CHD boulder 2½' below surface ?

Rp's Spk' disc in 12" box elder NW 105.3' S side
" " " " 10" " " SW 52.3' NW side
" " " 6" " " SE 104.1' W side
" " " Corner post S 62.1' W side