#633305

7-6-1965 set C/M over pipe and mica track ①

section corner south 32-33 Marion 106-13
north 4-5 Pleasant Grove 105-13

5-1872 Hunter P198 No 208 & 28-33 Stehan, Andrews.
found stone in center road as corner.
- Meas east to temp point set M & L ~~29.99~~ (Field Book 39.85 M+L

6-1877 Hunter P316 No 310 & 33 W Brackenridge
found stone in center road P198 claimed placed
from original slab by Mr. Phelps, surveyor.
1/16 east set stone M & L 19.99½. S 89° 35' E
bearing sec line north N ½° E

7-1907 C. Armstrong - Set Temp. Pt by line & meas - BK 'B' P. 112
from East. - NE 4 over N ¼ 4 both stones - 40 links
over)

5-1952 JKarr B55 P16 S32 Lathrop Nelson
found stone with junk also S¼ 33 (1965 found nothing)
and SW cor 32 and E¼ 32.
- Meas north 2641.87 M&L to fence corner.
- Meas west 2638.52 M & L to

see Card 2. extra

4-1965 JKarr to replace corner.
found stone and junk set C/M over pipe & trash.
Disc fence post S 34.32
fence line E-W S 34.00
" " E-W N 14.5
Disc fence post N 16.0
Disc power pole WNW 160.8.

Corner lies in line fence south
" " 1.5' west fence north.
" " 1.0' south and
25 east of Minn state rail.

see Card #2

#633305 (2)

Card #2 South 32-33 Marion 106-13
North 4-5 Pleasant Grove 105-13

7-29-69 J Kerr removed C/M for grading road.
set 1/2" rod over orig rod below C/M flush with present surface.
- set 1/2" rod just east of fence south at 75' and rod at 150' on transit line with corner.
will reset after grade completed.

11-7-69 reset C/M after grade settled 3" deep to top.
- Disc in power pole W S W now 161.0.
other transit rods south still in place - Left as is

B55 P16 5-1952. Notes say dug 4'x14' found remains of wood stake - set ½" rod packed in rock. also says found 1/16 stone east 13.16.7 from S¼33 boulder found. and at S¼33. RP S¼33 27.2 S to cor F.P.
- run S line 32 direct line 5277.05 set ½" rod on S¼32
M & L 2638.52 2 RPs later destroyed - see S¼32 for foul up.

4-27-76 (1/16 E) Found rod packed in limestone as recorded by Ken 1' deep, 1.7' W of fence N+S, 2' S of E-W road, and approx. 13.17.14 From dip at NW Cor. Sec. 4

4-28-76 Dug on W side of Knee CIM to clay with backhoe. Found marking.



Section corner South 32-33 Township 10S-13
4-5 Planted Grove 10S-13 #3

#633305

Govt Notes Wm. Jones, 1853

80.00 Set post & stone charred mk S 15 L.
corner to Sec. 15-32-33. Bk. is mound
with rocks. Planted S.E. Osage
Orange sticks. N.E. Apple sticks