6-13-1969 set C I M over ½"x2' rod, org stones, glass, old cans #1
4-20-76 Removed EIA for grading

¼ Corner 33-34 1/16 each sec center 34.
Marion 106-13.
#633406

5-1872 Hunter P198 no 208 S28-33 Sheban, Andrews.
Corner gone but mound plain and blaze line north plain.
set short stake in center old mound.
-16 north set stake M & L 19.94 (1316.0)
Meas west from above 1/16 corner. 39.93 (2635.4

6-1876 Hunter P297 no 292 S 34 Brackenridge - Stillwell.
Corner gone - reset corner with stone 3x6x15 by line from
NW cor 34 over 1/16 stake south 19.96½. (1317.7'0

6-1877 Hunter P316 no 310 S33 W. Brackenridge
found stone set P 297.

1930 Kerr B 3 P 36 S 34 dug extensively, Mon & scrapers.
-over-

found nothing - Meas SW 34 to point set as NW 34 5273.94
then 2619.19 from that point to stone at 1/4 27-28

1932 Co Hwy Dept claimed stone actually believed as stone
found - reference lost - 2637.8 north to NW 34 (also lost)
5262.7 NW 34 to NW 27.

6-13-69. J Kerr meas from 1/16 fence west north of
1/4 33-34 found stones stake nails easily
set CIM other 1/2 x 2' rods stones glass block by side.
RPS - Easterly of 2 Maryland trans tow pole Q4 40. Coke cap NW 127.7
- Pepsi cap in power pole # 17567 NE 80.5 80.49
- Coke cap in tile pole. SE 37.75 37.71
- corner lies in line center road N- on Ledge road E-W.

found 1/16 stone north 1317.95 in center road in line fence W 27" dep
Orangeade cap in trans Power pole # 17571 SW 1730 - 33.8 Cap top post West
3/8" x 18" rod under fence West 100 NE 3" 0.E.T.

#2

¼ Corner 33-34 Marion 106-13
#633406

4-20-76 Dug out Kerr's CIM for road grading. Found ½" rod over CIM over piece of limestone and ½" rod. Left rod deep (3') and reset ½" rod at surface

4-20-76 (1/16N) Found ½" x 2' rod over 4" x 5" / 11" x 13" limestone in black soil. Dug from stone N. 8' by 3' wide. Found possible stake hole on W side of stone. Found nothing else. Reset rod over stone

9-20-76 Reticd corner for road grading.
½"x2' rod under fence on S side of rd. E SE 57.10
Pop Cap SE side of pp # 175 67 NE 80.48
Pop Cap S side cut of tel pole with box SE 37.71

8-26-1980 ¼ Cor 33-34: Found top of rod set ~~4-20-76~~ 4-20-76 bent over. Removed rod and set a CIM over a 5/8"x16" rod from RP's which checked closely (bottom of bent rod aged white too) Corner 15' South of ℄ road on curve and 16' West of center of field drive South and in line with short fence (R/W?) North

RP's: CSD SE side of pp # 17567 NE 80.48

CSD in South side cut off telephone pole with bar SE 37.71

½" x 2' rod under fence on South side of road East SE 57.11

Geo. H. Mc. Wm. Jones. 1953

H.O.: Set post at ground surface in mound of earth & soil. Original elevation 1. mark earth & pile. Placed M.E. & Co. chain only.