Questionable Corner RE

~~11-27-1963 set C/M over boulder & crushed rock~~ #633505 (Card #1)

9/20/91 Set 1" SQ Pipe/Cap

section corner. South 34-35 Marion 106-13.

9-20-95 CHD SET 1" SQ PIPE/CAP

North 2-3 Pleas Grove 105-13.

9-1884 Hunter P 392 No 383 & 3 Pr Pierson.

found stone in center road claimed set where original

corner stood - in fence running north

- 16 west set quarry stone 4 x 9 x 18 M & L 19.99.

- Meas south 39.28/2592.5 to temp stake set in field.

4-1929 J Kerr B1 P 26. & 35 School survey.

set SW cor 35 a stone 3" x 7" x 2' with cross.

plated slab by stone on township range line between

over.

SE cor 35 and S 1/4 34 and 1/2 distance 2629.7.
also found trees north to be 5258.6 with 1/4 corner between
34-35 being 2640 from NW 35 and 12' west of direct
line.

8-1940 J Kerr B 20 P 62-65 used corner - hand hewn boulder
- meas south 1284.96 then 1308.46 To corner set
in open field.
11-1963 found corner set C I M on stone boulder with
cross. there was also another boulder on top.
- spike in south pile of RW trestle in 2nd pile west of
east bridge abutment or terminal easterly 283.9.
- Disc corner fence post N 10° E 30.8
- Disc tile pole. S 51.85
corner lies North of rockedge of traveled road in ditch
as road curves southeasterly 11.4' ± lines with fence North.

#633505 Card # 2

Section Corner South 34-35 Marion 106-13
North 2-3 Pleas. Grove 105-13

1932 C.H.D. Book # 64 page 73+75 fd. stone mon. + stake
Measure west to stone fd. 2633.8
Measure East to stone fd. 2630.5

9-1938 Co. HD BK 96 p. 3 - Found Pointed Top hardhead

4-76 Dug 8' E and 8' S from Kerr CIM. Dug abut 1½' dep to clay. Found nothing.

4-16-76 Dug again farther S. and found green irregular shaped boulder over dark spot and small piece of limestone 2' deep, 15.3 S. and 7.58 E of Kerr monument. Removed Kerr monument

5-13-76 Dug 6' E-W X 7' N-S to cover location calculated from Hunter's Ridge along the N. line of section 3 and 2. This point came 2.69 N and 7.85 E of Kerr CIM. S. edge of

diggings came into 1st hole. dug.

Govt Mons. Lost Jan. 1853

30.00 Dug post + stone found stake

---- to corr 2-3-34-35. Built

mound with rock. Planted S.E.

Osage Orange. N.E. opposite corner.

9/20/91 County surveyor Set 1" sq pipe/cap at prorated T. Hunter (1884) position between S1/4 cor. 34 & S1/4 35 106-13 and N-S position from sec cor 2, 3, 10, 11 105-13

RP's ℄ field drive north, west 22'

℄ CR #16 S1/4 10½'

new fenceline north, west ± 22'

SECTION CORNER SOUTH 34-35 MARION 106-13 (3)
NORTH 2-3 PLEASANT GROVE 105-13
#633505

6-21-95 - FOUND 1" SQ PIPE W/CAP 10' NORTH OF ℄. SET 1" SQ PIPE W/CAP 70½' NORTH OF ℄ CR#16 IN LINE OF FENCE NORTH.
T@ REF PIPE
RT P.K. IN P.P. (1ST POLE E ON NSIDE OF CR#16) TO SOUTH 34-35
70° 28' 53.5"
TO SOUTH 34-35
VA 93° 29' 06" dv 04
SLOPE 61.39 HOR 61.275

9-20-95 CHD SET 1" SQ PIPE W/CAP