#640603 (1)

5-9-1961 set C/M over orig. limestone.

section corner. west 6-7 Rochester 106-14
east 1-12 Salem 106-15.

2-1882 Hunter P 375 No 366 S1 P. & S. Hinds.
found stone anered by a Mr Brooks & others as
set from orig corner. B trees gone completely.
- likely found stake used by Hunter P 40. which
placed 1/16 cor 19.97 west and 19.81 north.

4-1902 Armstrong P 34 B S1 I mannamiss.
found limestone 11/2 x 18 x 18 in line fence east.
- meas west 40.15' to stone set from stake.
- 1/16 north. set oak stake. 19.91' or 19.81'.

See T. Hunter Bk 5 p. 127 Sec. 6 12-1881

5-1961 J Kerr B 84 P 21 Hennessey.
found stone after much digging & run lines
from south. Mc Ghie used corner before.
set C I M over limestone found.
- ½" rod 2.5' south of fence corner E 40.00.
" 3.0 " " " " SW. 50.00.
corner lies 4' west & 4' north crossroads or
3 way road - no road east.
- 16 north set rod M & L ~~13 11.8~~ comes in west ditch
- POT set on line. 1516.75 or 204.95 N. of ½

8-26-70 found 1/16 iron & POT pipe.
1/16 came 3' south of fence west - set 3rd marker cor post Lp E 59.0
Came 13' west of W edge road as in place.

Section Corner West 6-7 Rochester Card #2
East 1-12 Salem 106-14
106-15 #L010605

April 1856 Thos. Hunter Shows Sec. Cor. (Pg. 1 No. 2)
1/16 East 17.50 chs. Then 20 chs. To 1/4 Post
Bearing Trees to 1/16 Cor. (N 14 3/4° E 37 links) & (S 55° E 36 links).

Dec 1857 T. Hunter Pg. 40 No. 62 shows Sec. Cor.
1/16 North 19.81 chs. M&L to 1/4 Post.
1/16 West 19.97 chs. M&L to 1/4 Post
1/16 South 19.82 chs. M&L to 1/4 Post. (BTs to 1/16 Cor. N62° E 71 lks. S57° E 101 lks.)
1/16 East 17.20 chs. Then 20 chs. to 1/4 Post.
(See Survey For Interior breakdowns)
5/14/89 SET REF. PIPE 182.46' WEST OF SEC COR TURNED
& RT 1/4 COR 1-12, 106-15 TO W 6-7 177° 24' 46"

Govt Work July 1854

80.00 Set post for corner. Built mound of wire trees. Dug ditch 6 ft in radius. Planted S.E. Osage Orange, 4 N.E. Hedge trees.

7-1-93, T@ Ref Pipe w/cap
To 1/4 Cor 1-12 (CIM)
VA 89° 53' 00"
Slope 2464.49 Hor 2464.485'
Set out 2 Rt from 1/4 Cor to Sec Cor 177° 24' 46" For 182.46' set P.K. Nail @ Corner location. The Corner is 7' North of & Twp Rd west & 10' west of & CR #104.

Section Corner West 6-7 Rochester 106-14 (3)
East 1-12 Salem 106-15 #640605

7-2-93
(Set Pk Nail from Ref Pipe) Set 1" sq pipe w/cap as corner in Blacktop CR # 104. The corner falls 10.2' west of ℄ CR # 104 & 7' North of ℄ Twp Rd West

C.S.D. in P.R # 52430 S.W. 50.29'
C.S.D. in P.P. # 52431 S.E. 67.11'

Set P.K. Nail @ P.I. location. The PI falls in ℄ CR # 104 Due East of the sec cor.

C.S.D. in P.P. # 52431 S.E. 59.05'
C.S.D. in P.P. # 52430 S.W. 57.73'