X 11-1-77 Set C.I.M. #1

#640709

1/4 corner. Center 7 Rock 106-14

5-1871 Hunter P185 No 196 L7 J Burgoin, D Fuller.

set stake at inter lines.

Meas west 38.16 - Meas north 39.24.

Meas east M & L 20.34½ 1/16 north reset P413. No 402.

-16 south M & L 19.93 13/16, 38

3-1911 Ch Larson P148 B L7 Hans Christensen

set iron stake as corner. Not very good survey.

[redacted] north set iron stake [redacted] 19rds 16lks descriptions.

- Meas east 40.25
- Meas west 39.30
- Meas. North 39.25

Corner

1-1953 McGhee. 1/2" rod as corner.
- hub on S side stump in west yard fence NE 288.7
this hub about 94.5' N of SW corner farmyard fence.

CoHD B159 P72 1945 show meas from center 7
To 1/16 cor south - neither described. 1318.9. R. 1315.38.
℄ road.

11-1-77 Drive rod set by McGhee deep and set CIM over (down 14"). Corner in cultivated field 185'± W of N-S row of large pines on West side of farm buildings. Set 5/8" rod 10' So of ℄ (at traverse pt) of CoRd 25 & transit to - & Rt 1/16th S. of W 1/4 7 to Center 7 of 183°44'24" for 1326.06 RP to 5/8" rod & CSD in S side of pp #8121 WSW 143.63

Center Section 7 Roch. 106-14 #2

#640709

11-1977 McGhie & Betts set an Iron 280.5' North of the C.I.M. The iron is 5' South of the E-W Fence & 25' east of the fence North

---

Dec. 1857 T. Hunter Pg. 40 No. 62 shows Center Sec.
1/16 North 19.52 chs. m&l to 1/4 Post.
meas South 39.50 chs. to 1/4 Post
meas west 38.06 chs to 1/4 Post.