#641005 (1)

9-14-1964 set CIM over stones

Note: Above corner probably Two far East To be at orig. PLS Corner (R.B. 1-1917)

Section Corner 9-10-15-16 Rock 106-14.

11-1872 Hunter P210 no 218 S15 J M Westfall found stone & stake by side in center road, set new burr oak stake by side in place of old stake.

-16 east set stake in pile of stones M & L 20.03.

E-1871 Perry P212 no 220. S10

found stone as corner accepted as found.

-16 corners north & east 20.00 M & L.

Corner maintained and used in many surveys.

pipe set as reset over orig stone.

Cover

7-1964 found iron and stones
set C/M over stones.

NE corner "wood" house. NE 150.15

Disc N side power pole. WNW 116.7

" " " ENE 57.1

" " " SE 91.15

corner lies east of road intersections
-16 north. set rod in old road bed. M&L 1313.95

12-1936 Kerr
indicates iron inplace at this Sec. Corner with 2 R.P.'s
nail in Maple Tree - N.W. 66.4 — 66.2 in 1939 & Bk 15 p. 107
nail in Maple " - N.E. 39.35 — 39.25 in 1939

May 1932 C.H.D. Book # 64 Page 42 ¼" Iron pipe on west side of Stone

Rochester Section corner 9-10-15-16 (2)
Can't Water on Back #641005

Jan, 1858 T. Hunter Pg. 47 No. 69 Show Sec. Cor.
1/16 North 19.83 chs m&L to 1/4 Post.
meas. West 39.45 chs. to 1/4 Post.
(See Survey for Interior breakdown & B.T.'s).

1-15-97 FOUND CIM DOWN 6" IN BLACKTOP. THE CORNER FALLS 1½' NORTH OF ℄ CR 125 RUNNING E + W + 54' EAST OF ℄ CR #8.

Govt Notes W. B. Yerby 1854

80.00 Set cor. post to sect. 9, 10, 15 & 16 in
Mound of Earth and Set
Charcoal made from ash and post oak pits
planted Osage Orange Trees S.E. & N.W.