#641006 (1)

7-15-1964 set CIM in place of orig stone

1/4 corner 9-10 Rock 106-14

6-1871 Perry P212 no 220 L10 Bamber
found part of old stake standing tested B true
standing - replaced with new stake (oak stake)
-16 east set stone 3x10x16 + oak post MtL 19.86½ = 1311.09 (B.T. S21¼°E 47.42 8" oak)
-16 south set stone 4x6x25 MtL 20.00 and
witness stone 4x4x20 50 links east. } Note

12-1893 W Fraser P539 no 500 Cornplith, stopel
found stake by corner post, properly marked.

10-1939 J Kerr P522B Bk 16 P43 Dr Krusen.
found limestone at fence corner

(over

-16 west set iron rod N & L 1318.26 to one more.
RP 1/16 cor Center 18" black 36.5 SE
Center 10" elm 50.75 SW

7-1964 J Kerr found stone set C/N. B89 P45
Center blazed basswood. SE 13.0
" " 15" elm NE 11.7
Sp 8" twin burr oak 27.2
-16 south set rod in old road. N & L 1313.95
-16 east of above 1/16 N & L 1311.63 set iron.
also found limestone P476B for line east Abe Bailey
Meas east 2615.8 with iron rod on 1/4 line by stone fence at 994.4 from center 10.
Meas south 2627.3 B140 P8 1943

Rochester 1/4 corner 9-10 #641006 (2)

Cont'd notes on Back

7-1857 T. Hunter Pg. 34 No. 55 shows 1/4 Post
meas. west 39.70 to Center Sec.
1/16 North 19.93 m&L (2 B.T.'s to 1/16 Cor {N 51°E 13 lks / N 84°E 8 lks})
see Survey for Breakdown of N.E. 1/4

Jan, 1858 T. Hunter Pg. 47 No. 69 shows 1/4 Post with B.T.'s
(W 86°E 38½ lks)(S 30 3/4°W 11 lks)
1/16 West 19.85 chs m&L to Cen Sec
1/16 South 19.83 chs. m&L to Sec. Cor
(See Survey for breakdown & B.T.'s)

CHD Book 151 19? 1/4 9-10 is 1643.8' west of road
1/16th corner South is 247.28' north of P.I.

Gov't Notes W. B. Ver by 1854

40.00 Sts & section post

Black Oak 12 S 3 1/4 W 11 lks

Bur oak 8 N 85 3/4 E 39 lks