6-18-1964 set C I M over 3/4" x 12" iron in open field, much junk & stones around corner. ①

#641604

3-14-77 Set C I M M & L "Corner of Corner"

1/4 corner 16-21 Rock 106-14.

5-1902 H Fraser P 38 "B" L 16 Leo Klee

set temp stake M & L. 39.85.

-16 north set stone M & L. 19.96

12-1936 J Karr B 12 P 5 L 16.

set corner in open field M & L. pipe & junk.

Note: Dec. 1975 R.B.

This 1/4 Corner probably not in same location as Temp. Stake by W.E.F. even Though it was set Last by both Kerr & W.E.F.

I think Kerr's 1/2 line from North using W.E.F. Stone at 1/4 Corner would intersect ± 10.9' W. of The point used Today. Needs investigation

6-18-1964. J Kerr.
found square iron & junk in open field.
set C/M over 3/4 x 12" iron & junk - below plow.

1/2" pipe under fence. WSW 134.08.

1/2" pipe on angle corner of fence line
where fence turns easterly SSW 235.6.

- mens between 2 above RPs which
lies in straight easterly fence. 196.4

3-14-77 Set a C.I.M. (down 12") over a 1/2" x 2' rod at the corner M&L ■ 0.23 N and 12.10 W. of Kerr's C.I.M. (removed) R.P. CSD on S. side of brace post on the South side of gate NW 147.13
1/2" x 24" rod (up 3") 6" W. of the N-S fence and approx 173' South of the brace post with CSD S.W. 151.97

Rochester 1/4 corner 16+21 #641604 (2)

Govt Notes on Back

7/20/89 FD CIM DOWN, IN FIELD IN SET ASIDE PROGRAM

Gov't Notes W.B. Yorkey 1854 EAST Random 16+21

40.00 Std temp Sec post

West Between Sec 16-21 course 9° 01' E

40.07½ Std & Sect. post in Mound

Earth and Soil deposited charcoal

White trench and pits planted Osage

Orange Stood W.S