/ 8-20-1970 Corner dug for with caterpillar tractor and re-located for grading and RP'd but not set (1)
6-17-74 set C.I. mon over 5/8" x 18" rod
#642004

1/4 Corner 20-29 Rochester 106-14

5-1877 Hunter P 314 No 308 S29 J Dittle.

Corner gone, found NE BT standing

- Meas section line 80.22½ (5294.85'
- set marked stake midway 40.11½ (2647.42
and at meas from remaining B tree determining the N-S of stake
-16 south set marked stake N&L 19.86 (1310.76'
-16 center NW¼ set stake at inters lines.

5-1895 H Fraser P 572 No 524 S29 Thos Coleman.
Could not find Hunters stake P314. Cover

set corner midway 40.10 (2646.6' and distance from NE gord bearing tree. still standing.
- used only to set center 29, no desc. of corner.
BT, 12" bl. oak N 8° E 146 lks (96.36'

4-1910 Ch Armstrong P 305 B L 28-29 D Blaum.
stone marked on plat as corner
- Meas east 2646.6

5-1958 Co H D assumed corner 2x2 Hub

Desc in cherry tree NE 84.45
Desc in triple oak NW 45.7.

1970 - See Card # 2

(#642004)

Card # 2 ¼ 20-29 Rochester T 6-14 (2)

8-19 to 26-1970 co surv to relocate corner for grading. dug entire area to bed rock with blade of dozer found nothing, area cut and on sharp slope.
- meas entire mile 5289.05 set nail at 2644.52
- meas from stone at center 29 set nail at 2622.43 which is 7.05' south of direct line - R 2621.52
Record kink in line 8.08 - showed more reference corners. south 1 foot making meas south 2621.43 a better meas

R.P. temp corner set for grading only
- Disc on west side 12" cherry (Co RP) NE 80.97 (87.93)
- Coke cap on north side Northly of farm sign (2 post) NW 82.43 (88.43)
- spot bar cap on West side P.P. # 25239 N 141.78 (142.4)
- hard nail on west side Cor gatepost 5'W of North 29.06 (31.09)

(1324.11)

-16 west set nail at 1322.26' (not on adjusted line)
R.P. 1/16 nail (true meas - must reset for line.

Mt dew bottle cap in power pole # 25245 WSW 79.85
7up bottle cap in east side cor fence post S. 38.2
Meas came 1 foot west of fence running south.

6-17-1974 Co Surv

Set a 2 in. post x 3/8" x 18" rod by elec meas.
midway at 2644.91 + 8.08 South of a
straight line between the Sec corners.

R.P.'s

C.H. & disc on W. side 16" cherry	N.E	81.93
Hard nail on W side cor gate post	5 W. of N	30.09
Bottle cap on N. side of N. farm sign post	N W	88.48
Bottle cap on W. side of P.P. # 25239	N	142.9
C.S. disc E side of P.P. # 25238	S.S.W.	29.67

Rochester 1/4 corner 20-29 #642004 (3)

Card Note on Back

7/11/89 DUG WITH JACKHAMMER FD CIM IN GOOD COND.

Govt Works W.B. Yerby 1854 East Random 20+29

[redacted] 40.00 set A stamp Sect. post

West between set 20+29 course 9° 0' E

40.05 set A section post

Bur Oak 12 N 5 E 146 lks

Bur Oak 8 S 81 E 78 lks