X Set C.I.M. over ¾"x15" rod set in place of J.J.K. 1941 Corner
9189 SET 20" C.I.M. OVER C.I.M.

Section Corner 25-26-35-36 Rock 106-14 (1) #642505

4-1890 Chas Fraser P438 No 426 & 26 Baker Feeney Conway

found large stone boulder aneed by Mr Conway are gone.
placed by adjacent land owners to preserve corner myself.

- meas North 39.85'/2 to temp corner set ¼ distance
SE 26 to NE 23 (2630.43'

7-1974 Ties.* Set C.I.M. over Rod
old Co. Hwy Dept. Disc in P.P. # 9184 - S.E. 28.17'
Center of 18" Elm Tree - N.E. - 45.0'
Top Center of So. end 18" driveway Colv. - N.NE, 40.75
Corner lies 18.6' E. of ℄ Co Rd Black Top.

Note:* Removed McGhie 5/8" rod which was
1.8' North & 2.1' West of our Corner as Set.

(over)

See Kerr Book 25 p. 19

Corner found & maintained by Co Hwy dept.

Sp Tele pole. NW 70.5

" " " SW 84.5

" " " NE 58.5

Disc " " E 29.0

" Cor post SE 28.3

Sp power pole

Co H D B 174 P 12 1945 found 1/2" pipe as corner.

-19.2' east & road - Meas N 2635.0

7-16-1974 Co. Surv.

dug and found - J. Kerr's ~~Separator~~ discs & small boulders around but did not find 3/4" pipe as called for in Kerr's Book 25 p. 19 dated 1941, set 3/4"x15" iron rod in center Spot of Sep. discs and set CIM over Rod

Corner lies 18.6' E. of ℄ Co. Rd 20 ℄ in line Main fe. East

Rochester Station corner 35-26-35-36 (2)
Coal Water Cave #642505

March 1857 Thos. Hunter Pge 22 No. 35 used Sec. Cor.
1/16 South 19.86 1/2 M&L to 1/4 Cor.

Oct, 1857 T. Hunter Pg 38 NO. 60 Shows Sec Cor.
1/16 North 19.87 1/2 chs. M&L to 1/4 Post
B.T.'s to 1/16 Cor. north (N 81 3/4° W 258 lks.
S 63 1/4° W 183 lks.)

June, 1863 P.C. Compton Pg 72 NO. 104 Shows Sec. Cor.
used to breakdown N.W 1/4 Sec 36
1/16 East Set M&L (NO Meas.)

Gov't Notes W.B. Yerby 1854

80.00 Set A temp str.t. post in Mound of Earth and Soil deposited charcoal Marks trees and pits planted orange stake N.E. & S.W.

9/89 FD T-BAR RLS# 10942, PULLED T-BAR
FD CIM DOWN 29", SET 20" CIM OVER
18.2' WEST TO ℄ OF CR. 20
29.27 SE TO CSD IN PP# 48212
18" ELM NOW JUST A STUMP