6-15-1964 ~~set C/M over Conc Mon remains~~ no stone below.
8-2-1972 found org stone reset C/M witness stones + run
Section corner 28-29-32-33 Rock 106-14 (1)
5-1877 Hunter P 314 No 308 S 29 J Dibble #642805
took corner post of fences south & east anered set from orig cor. No stake could be found arround or near post. So assumed corner post to be correct corner.
-16 north set stake M & L 20.00 (1320.0
- Meas west 40.18 (2651.88
-16 Center S E 1/4 set stake witness liner.

5-1883 Hunter P 381 No 372 S 33 T Coleman, ~~T Sweeney~~ J. Hannaghan
found cor fence post P 314 - set boulder stone in its place large end down, stone coming to point on top.
-16 south set stake M & L 19.93 1/4. S 55' W.
1315.54
over)

-16 east set stake M & L 20.15 1329.9 S 89 ½ E

-16 center NW ¼ set stake M & L 19.94 on N-S ⅛ line

- Meas between ⅛ south east to ⅛ center NW ¼ 20.11

3-1895 H Fraser P 572 No 524 S 29 Chas Coleman.
found boulder stone set P 381 set 2½ x 4 x 18 limestone by side.
-16 west set stone 2 x 8 x 18 M & L 20.10 1326.6

4-1910 Ch Armstrong P 305 B S 28-29 D Blaum.
found stone - meas north 2640

Co Hwy Dept sets 8 x 8 x 30 conc marker as corner

6-1964 J Kerr found parts of conc mon tilted - dup placed remains conc mon vertical set C / M over IT #25133
Dist top corner fence post east 32.8. - Dist PP SE 45.06
NE leg windmill bears SW - 269.1. Meas east 2661.95 to M & L
corner lines fence east nearly.

Card # 2. 28-29-32-33 Rochester 106-14 (2)
#642805
8-1-72. Zap meas from C/M over true corner stone at 1/4 29-32 east to C/M set 6-15-64 at 28-29-32-33 Meas 2637.56 with 1/16 fence S. at 1324 ± (fence curved)
RW Fraser 2653.2 CoHD. 2637.7 from wrong corner at 1/4 29-32 2.57 west of true corner.
Will dig up to 16' east for recorded corner.
8-2-72 dug massive hole 7' deep 6' wide 10' long stile in dark soil, finally found stone boulder exactly as Hanlen described in 5-1883 with long slim granite stone setting on north side of top centering over boulder.
Not a 2½ x 4 x 16 limestone - may have been an additional creation of Chas Armstrong in 4-1910 in survey of Sec 29. Corner

these stones in west wall of hole dug not over 4' down.
Reset C/M over stones and 1"x18" iron wall pipe
Meas Nor west to C/M over orig 1895 stone.
Meas Zap south.

Final RPs to corner

21.8 E to disc in top of corner post (Exactly east) (fence line)
32.6 S to eye line of power poles west on S side road.
38.04 SE to disc on SW side power pole # 25133
17.22 SE to punch hole in east end 18" road culv.
26.42 SW to " " " west " " " "
corner stone found 11.2 east of C/M set over cone iron. (removed)
on nearly exact N-S line
1/16 fence meet very near Midway. 1324.

#642805 (3)

Section Corner 28-29-32-33 Rochester 106-14

1936 - C.H.D. Book # 81 page 47

measured from N.E. 29 to E 1/4 29 which was 2640

set 2"x2"x18" hub 2640 south of E 1/4 Cor. 29

on line between N.E. 29 & E 1/4 29. (From T. Hunter survey)

Ties:	Cor. fe post	S 17° 30' W	- 23.8
	Cor fe post	S 84° 00' E	30.3

Gov't Notes W.B. Yerby 1954

80.00 Set a corner post to Sect 28, 29, 32-33 in Mound of Earth and Set depositor Charcoal Made trench and pits planted Osage orange Set N.W. - S.E.

10/2/89 FD CIM, 11.5' WEST TO ℄ OF GRAVEL RD SOUTH