#643309 (1)

1/4 corner Center 33 Rock 106-14

5-1883 Hunter P 381 No 372 S 33 T Coleman, J Hannagan set temp point true inters lines but did not retain or established corner, but as west section line straight and N-S 1/4 line straight figured it would be easier to run N-S 1/16 line in W 1/2 33 after setting 1/16 corners on N & S ends. - Meas south figured as 39.70

corner in N-S township corner common land on east side (last corner) 1/4 Post

7-75 McGhies set pipe (don't know where this came from) 1978

10-27-78 Dug [sketch: 4' 3' State Hwy] . Found a 9" x 10" x 34" pointed boulder 2' deep & packed in limestone pieces with

3.75 S.E
0.6 N

wood pieces on the East side and ~~with brass~~ ~~pin on the East~~ with bone in clay 2.2 N and 3.0 West of the t.n.

Center SW 1/4 10/18/78: Dug from t.n. set on E. side of corner post N. 3', E 2', So. 2', W 2' on N. side of post, and W 4' on the S. side of the post. Found only the stub of the old post 1/2' N and 1/2' E of the t.n.

1/16th West 10/18/78 Dug on the E-W 1/4 line and at Hunter's measure from the W 1/4 33. Found the stub of an old post (shot this) and the stub of another post 1 1/2' N and 1 1/2' E which is probably the post that a stone stood on the East side of in 1972. Dug from the post shot for 2 1/2' N, 2 1/2' E, 2 1/2' So, and 4' West. Found nothing furth

#643309 (2)

¼ Corner Center 33 Rochester 106-14

10-19-78 Center of NW¼: Dug from the corner post (which was 4' North of the 4.n.) to the fences N-S-E for 2' N., 2' So., and 3½' West Found nothing

10/30/78 1/16th North: Dug on line from the S¼ 33 over the stone found @ the Center 33 and to cover the fences West and East (fence East is 4½' North of the fence West). Found a 8" x 10" x 13" boulder lying flat and pounded stake (wood piece) .8s North of the center of stone beneath old road and in line with fence East.

Stone 13.5 S&W 11.8 N&W
Stone 17.7 S 5.3 W

Stake 3.2 East and 28.5 N of the traverse nail. Removed stone.

10-5-1981, Center 33: Dug out stone found in 1978 to search for evidence of Hunter stake. Removed stone and dug around it and North for 3'. Found nothing. Set stone back with a 3/4" rod with eyelet on and on the North side of stone.

LRP] Spike 5.6-50
Spike @ 7.85

10-14-81 Center 33: Set a 1" sq pipe/cap .19 N and .01 West of top center of stone found and at road surface at intersecting 1/4 lines. This corner 4' West of center of N-S road and 2½ N. of line of fence West.

RPs: Red Head (cone nail) in N. side e.p WSW 33.45
CSD E side pp # 2506s - NW 85.76.