5-12-1965 set C/M over org stone. flush with surface
5-2-1968 reset C/M over 1/2" x 2' rod. over 12" deep.

#650206 (1)

1/4 corner 2-3 Salem 106-15

5-1879 Hunter P 360 no 351 S 2. Dan Fallen.
found old stake in line old balk west & line fences
N & S. set stone 4 x 8 x 15 with stake by side.
- meas north 39.35 = 2597.10 to stone N W cor 2.
- 1/16 east set stake with stone by side 19.86 1/2 N & S.
for line north - 1311.1

5-1965 J Kerr S 2 adamson.
found stone set C/M over stone steel post by side.
1/16 east dug at recorded meas. found stone one of several

over)

at 1310. set rod at this point on line
- 1317 from 1/16 to center which enters doubt of
accuracy of center sec 2 as set. see center 2.

5-1968 J Kerr used corner to set center sec 3.
farmer plowed into C/M breaking it and masking
down steel fence post guard. no mon meat.
found stone below, removed stone set 1/2 x 2' rod deep
so top of C/M at least 12" down. set orig stone
on north side steel post about 8" west. old grease
gun accross lower flange of C/M. 2'± east of N-S fence
Cola cap on W side new trans ele. line pole NNW 423
pole recently set new trans line

#650206 (2)

1/4 Corner 2-3 Salem 106-15

Set by Michael Karrick 6-1854

S 13 W on true line between sections 2 & 3

39.49 Set quarter section post in mound with trench pits, charred stake and Osage Orange Seeds NE & SW

May, 1867 H.E. Horton Pg. 83 No 126 shows 1/4 Cor. used to breakdown S.E 1/4 of Sec 3

1/16 West 20.04 Chs. M&L, 1/16 South 19.94 1/2 M&L

6-5-84, 1/4 Cr 2-3: dug out stone found by Ken (placed on N. side CIM) and found it a 5" x 7 1/2" x 13" stone - a crumbly, sandy, limestone. Reset stone on N. side CIM

6-6-84, 1/16 East of 1/4 Cor 2-3: Found old jack packed in stones - all boulders - 2½' SE of corner post to Fc N & E. Removed all but found no evidence of stake. Any 1 of 2 or 3 stones here could have been Hubbell's! Reset jack and stones. Dug a small hole 3' to 4' East, checking for vermin on Dan N. line Sec. 2 but found nothing.

6-6-84 1/16 So. of 1/4 Cor 2-3: Dug 4'x4' on South side of corner post to fences E-W-N-S. Dug 4' deep and still were finding wire and nails and may not have been deep enough. Found the shell of a small post or stake (3" to 4" diam) underneath the newer corner post but it was so decayed we determine no point. It was beginning to slant so we had to fill the hole! Hubbell's old measure from 1/4 2-3 corner 4' South of C.P. Old post or stake .2 So. & .5 E. of t.u.