#650305 (1)

10-30-1965 set C/M over ½"x2' rod & conc disc
5-77 "Correction of Corner" set CTC 13.95 ±0 ± - 1 W of Kerr corner
section corner. 3-4-9-10 Salem 106-15
5-1873 Hunter P223 no 225 L 9 2 Norman, Voorhees
found stake in mound with pits still visible. 2 McCoy
- 1/16 west set stake M & L 19.69 1/4 S 89 1/2° W.
- 1/16 south " " " 19.90 1/2 N 25' W.
- 1/16 center NE 1/4 9 set stake M & L N-S 1/16 line N 20' W

10-1921 Chas Larsen P 362B L 4. 4 Watts parties
set concrete disc. 11" dia and 6" thick as corner.
no details of findings etc.
- 1/16 north set ~~concrete~~ limestone 5x9x12. M & L 20.00.
- 1/16 west set limestone 2x7x15 M & L 19.69 (1299.5 over)

1/16 corner SE 1/4. 4 set limestone 5 x 12 x 12 intersection.

6-1965 J Kerr.
found concrete disc. on measuring from north
over 1/16 stone found. 1318.7.
10-1965 set C/M. over 1/2" x 2' rod setting Mon on Concrete
disc at bottom hole placing top of Mon. flush with ground
corner lies. 7' west of N-S fence and 1 1/4" x 5' pipe
up 3.0' above ground. No - east - west fence.

Set by Michael Karrick 6-1854
55.97 Creek 7 lks wide runs SE.
56.85 Same runs SW.
57.65 Same runs S.E.
80.00 Set post for corner to sections 3, 4, 9 & 10 Erected mound with trench pits, charred stake and Osage Orange seed at each angle.

Section Corner 3-4-9-10 Salem 106-15 (D)
#W50305

5-77 Dug and found old wood stake 13.95S and .1' West of Kerr CIM set at Chanoni corner (removed). Removed stake to office and set CIC/p². Corner 1' West of N-S fence