/ 6/21/90 SET CIC/P² IN PLACE OF OLD C.P. (1)
#650406

¼ corner 4-5 Salem 106-15

7-1873 Hunter P 233 no 235 S 4 Fairbanks, Strain Jacobson.
found old stake remains from NE B tree still standing
and stump cut below mark of other B tree.
reset with new stake. marked ¼ corner.
- east set marked stakes at 10.02½ - then 10 02½ as
1/16 corner then 20.05 to Center sec 4. a marked stake
set at inters lines

10-1921 Chas Larson P 362B S 4 4 watts families.
Corner fence post recognized as ¼ corner for 30 years.
- north set limestone 3x14x14 at 10 chains (in line each for line) over

with NW corner sec. 4 a limestone 4x7x16 (C I M over Stone 1972
total 1/2 mile 39.57
other lines on SW 1/4 sec 4 not described..

---

set by Michael Karrick 6-1854
True line
39.57 set quarter sections post
Burr Oak 13 N64W 215
" " 7N19E 221

April, 1861, Samuel McDowell Pg. 66 No. 93 used 1/4 Corner
For Property Survey in N.E 1/4 SEC 5
6/8/90 1/64th COR. NORTH OF 1/4 4,5 106-15 SALEM
FD 3x14x17 STONE SET BY C. LARSON IN 1921
AT 10 chains NORTH OF C.P. @ 1/4 COR. 4,5
THE STONE WAS 1½' DEEP IN FENCE RIDGE, IT FALLS
UNDER N-S FENCE LYING ON GROUND AND LINES
WITH FENCE EAST ALSO LYING ON THE GROUND
OR COVERED BY FENCE ROW, SET 60d SPIKE OVER
STONE

#650406 (2)

1/4 CORNER 4.5 SALEM 106-15

6/18/90 DUG TO COVER E-W 1/4 LINE OF SECTION 4 1/2 C LARSON LINE & LLO DIST FROM STONE FD NORTH. FD POST STUB TO EXISTING FENCE, BOTTOM OF POST 2 1/2' DEEP. FD OLDER POST STUB BOTTOM OF IT WAS 3 1/2' DEEP THIS IS PROBABLY THE POST USED BY C LARSON IN 1921. CLAY WAS 4' DEEP ON NORTH SIDE OF HOLE, & 3' DEEP ON SOUTH SIDE. DUG FROM YA IRON EAST 5 1/2' NORTH 1 1/2' & SOUTH 4 1/2'. THE OLDEST POST IS 2.1' EAST OF YA IRON AND 0.9' NORTH. THERE WAS NO SIGN OF TH. STAKE SET IN (1873)

6/21/90 SET C1C/P2 6' LONG AT OLD POST LOCATION USED BY C LARSON IN 1921. LINES WITH FENCE N & E & FENCE ROW WEST CONT ↓

6/21/90 Cont CSD IN 12" BOXELDER N, W, 4.30'
SET SIGN & POST 1' NORTH OF THE MON.