1 7-10-1968 set C/M over orig stone & 5/8"x16" rod glass stone
section corner 5-6-7-8 Salem 106-15.
6-1870 Perry P126 No 159 S6. for Cook. #650506 (1)
Corner gone. set marked stake at intersection of
meas from SW & NE B trees. SE & NW B trees gone.
1/16 west stake M & L. 19.90.
1/16 north " " 20.00

10-1884 Hunter P393 No 384 S6, 7, 18 & Bale etal.
found stake & B tree. P126.
1/16 west set stone M & L 19.96. To stone set from stake found

(over)

4-1894 H Fraser P 595 No 505 S ½ 26 Isaacson.
Tvedt.

found stone declared set by Hunter P 393
altho Hunters record did not definately say he set stone
very likely he did just that.

- 1/16 North set stake N & L 2000 to stone found.

7-10-1968 J Kerr relocating corner found teardrop shaped boulder in cluster dozen smaller stones in clean soil stone 14" x 8 bottom 4" sq top
set C 1/4 corner stone lowered and 5/8" x 16" rod glass stones cans etc.
- Meas north to 1/4 cor stone found 2637.8. record 2640.

Jeem brass cap in power pole No	8603	AZ	315°50	50.1
R Bear " " " " "	8604	AZ	34°10	44.1
Center tele square metal post terminal		AZ	49°35	54.65 No 26-1

Angle from W 1/4 6 to just south & road 1 mile west 90°18' to stone.
Corner lies 1.5' south & road west - 2.0 west & road south.
corner lies 1.0 south and 3.3' west of rod set by D county surveyor.
- Meas west to SW corner 6 stone found 5217.65 (set SW 6.)

#050505 (2)

Section Corner 5-6-7-8 Salem 106-15

Set by Michael Karrick 6-1854

80.00 Set post for corner to sections 5, 6, 7 & 8

Black Oak 7 S 30 W 29 l

" " 7 N 63 W 25 l

" " 10 N 23 E 319

" " 7 S 28 E 115