/ 5-16-71 set C1M one 5/8" x 14" rod. #650905
5-13-77 Reset C1M
section corner 8-9-16-17 Salem 106-15 (1)
1-1870 Perry P 90 no 134 L 16, N Jacobson. 2.
found mound & pits and hole where old stake stood
set stone 8x15x21 a boulder.
Cedar stake in Office
1/16 east. set red cedar stake with stone 3x13x24 by stake N&L.
to a boulder 11x23x28 at N 1/4 16. (now C1M)
1/16 south set unmarked oak stake N&L (no mark) to large stone at 1/4.

5-1873 Hunter P225 no 228 L 9. H. Thorrore, J Vosberg.
Hunter Field Bk 3 p. 17-18 2 McCoye.
found stone boulder. P90.
- 1/16 east set stake N&L 19.89 1/2. 1313.07.
- 1/16 north set stake N&L 19.98 1318.64.
- 1/16 center SW 1/4 9. set stake N&L on E-W 1/16 line.

over.

5-1893 W Fraser P510 no 478 26 17 N Jacobson, B Johnson.
found boulder P90. anderson, Town Board.
- Meas west 39.95 to stake found and replaced by stone 2x8x20.
2636.7'

6-1935 J Kerr
used corner past.
Note. 12-1965 J Kerr Lot 9 B92 P28
Meas east betw C1M's SE¼ 9 - SE¼ 1322.4
R 2626.14
5-3-71 Co surv. Meas from hub drawn in S ditch in eyeball line of main B T road east - turn in by random likely meas south some 10' W of fence, found fences E & W at 1320.± set hub. Meas from fair fence running north, east found prop line fence running S at 1326.2 and C1M at ¼ 9-16 at 2634.6. - 00 line 6.4' W of PP. - C1M at corner recorded as 7 the W & orig cor when ⅛ placed at 1311.4 - fence S to C1M 1308.4, dug in area of fence S but deep fill from field and dozens of stones from field S put in fence row and dirt packed over same stones down 4' mostly sub soil stone gave up ⅛ and hub meas from stone found at ¼ 8-17. R 39.95 2636.7

#650905 (2)

Card #2 8-9-16-17 Salem 106-15

5-4-71 Co surv Meas from pipe set South side center of stone at 1/4 8-17 early record 39.95 (2636.7 which came about 2' east of 00 for meas of line east. Making 2634.6 + 2622.4 5257.0 - 2' ± entered mile

5-5-71 found 1/16 stone at 1321.1 from 00 corner 3' north of fence & 5' west of fence (3"x4" red cedar stake on center N side. stone fully 9x13x24 with large RP 1/16 now in office

5-3-72 found 2" pipe on S. side of stone down 6" spike in N side pp# 401 stone W 5.02

exact row from 1/16 stone to SE 9 | brth 1870 stones 2622.4 + 1308.4 + 5.1 or 3935.9 (1/3 1312.0' Hanlen entire mile record 5252.28, 3/4 3939.21

5-6-71 Meas from C/M as now set at 7-8-17-18 and added .72' which C/M will be moved west when corrected. Meas 2630.87 R 2631.75 so concluded to give meas last full record 2636.7 and set C/M at this meas and on projected line

from C/M set from Perrys stone at 9-10-15-16 over 1/16 stone found east of 2W 9 set by Perry 1-1870, true line but no longer midway. This made corner set 2' south of fence running east and 2' east of fence running north. - about 4' east of PP center # 40189 and 8' south of eyeball linet south side pole and pole line east

Meas - 1318.95 east to perrys 1/16 stone (on line) Hunters R 1313.07
then 13 13.5 east of stone to C/M set 1965 "
then 1311.2 east M&L to C/M with referenced 1/16 rod in blacktop at 1/4 east of 1/4 9-16 all 1313.07R.
which lies 5.2' east of center blacktop, 1.7 south fence line West
total Mds 5254.85 = 1313.71(4)

---

set by Michael Karrick 6-1854
80.00 set post for corner to sections 8, 9, 16 & 17 erected mound with trench, pits, charred stake and Osage Orange seeds at each angle.

Section Corner 8-9-16-17 Salem 106-15E
#650905 (3)

5-13-77 E.T.C shows corner set in 1971 should have been set 1.82 North. Dug North and found a black mark extending well down into clay. 5' West and 2.0' North. Reset the CIM over a 3/4" x 15" iron with an angle iron up 1½' ½' West and set a pointed limestone on the West side of the angle iron. Corner lines with fences North and East.

R.P: Spike in So side pp #40189 E 4.93