5-8-78 Set CIM

#605206 (1)

¼ Corner 11-12 Salem 106-15

8-1856 Hunter P 15 no 23 SE¼ 11 - SW¼ 12.

used corner

- 1/16 south 19.82 M+L.
- 1/16 east 19.81 M&L.
- Meas west 39.67 39.76 From Book # 13
- 1/16 center SW¼ 12 19.72 M&L N&S 1/16 line.
  19.80 west to 1/16 on sec line 11-12.

6-1870 Perry P119 no 154 S12. J McGovern.
found corner. fence post erected by several old settlers as orig corner location ? marked post.

-1/16 east set oak stake M & L 19.77
B Tree. Oak 4" N 26° E 1.12. marked.

33.56
67.60

6-1870 Perry P 124 no 158 & 12 J Mc Govern.
found marked post P 119
-1/16 east set oak stake M & L Corner of P 119.
B Tree 4" oak N 14½ E 1.02½.

.95 N and L
15.46 E
34.51
83.04
1320.2 ft

Set by Michael Karrick 6-1854
35.00 Enter Barrons bear NW
40.00 Set quarter section post
Burr Oak 20 S 15 E 283
Dug trench
60.00 Enter prairie bears East
63.05 Creek & Its wide runs NE

1/4 Corner 11-12 Salem #051206 (2)
106-15

5-3-78 Dug with backhoe at ½" rod (removed) found in the center of the N-S road and in line with the E-W fence Dug 4' deep to natural soil but then hit frost so closed the hole.

5-5-78 Dug again with backhoe and found wire and boulder over a corner post stub about 1' long. Top of post 3½' deep.

5-8-78 Set a CIM over a ½" x 24" rod over the post 5.3 So and 1.8 E of the ½" rod (set back ½" x 15" rod at the location also) Corner is in line with fence W, 3' So of fence E, and 2' E of the ℄ N-S road.

R.P.s: CSD in N. side pp# 8151 ENE 46.23
CSD in N side corner post W 34.90

5-3-78 1/16th East: Dug from the 5/8" rod (found on the East side of the corner post and used as a traverse pt.) 1'W, 4'E, 2'N, and 2' So. by 3' deep. Found nothing. We were digging to cover midway from the iron at 1/4 Cor 11-12 to the iron found by the corner post at the Center 12 ~~Cor~~ which came approx 2½' East of the 5/8' rod. A pair of Black Oaks stood at near Perp Brg. and distance from the C.P. Set iron back.