X 1/18/83 SET 1" SQ PIPE/CAP 8.20 NORTH OF E CRACK #651306 #1
IN NEW CONC.

1/4 Corner 13-14 Salem 16-15.
Faller.
4-1911 Chas Larson P154 B. L14 Knusel
Fugle.

set temp point for line west likely M&L.

1/16 west set iron stake with cogwheel. no meas.

↓ stone on top 19.89 M&L.

Cant figure how arrived at this meas.

total mile	79.20.	5227.2	
west 1/16	19.53.		
east 1/16.	19.89.	1312.74 double	2625.48 to 2626.5
2 1/16 ths between	39.78.	(likely E 1/2	

Frey.

1941 Co Hwy Dept B159-160. (P2 B159 1943)
assumed corner set 1" rod. (Bk doesn't say set or assumed)

Rice power pole SE 49.1
" " " NE 56.1
" corner post NW 30.4
"

Meas meat To W 1/4 M. 2626.5 Then 2602.8 assm'd
5229.3

Set by Michael Karrick 6-1854
40.00 Set quarter section post in mound with trench pitts charred stake and Osage Orange Seeds NE & SW.


#2

1/4 Corner 13-14 Salem 106-15

#651506

5-4-78 Dug from nail found in ℄ roads N-E-W and used as a traverse point 2' N. 2' S, 4' E and 4' W. by 5' deep to clay. Found nothing but conditions good with 1½' black dirt.

5-12-78 Dug again digging now



Found ~~nail~~ nail 4.9 W and 3.3 N in the old road. Also found the 1" C.H.D. rod bent over 8.3 N and .3 W (down 3' - removed)

Using old C.H.D ties ~~#~~ from Disc (spike called for) in C.P. NW and Disc in p.p. NE, P.I would come 3.6 N. and 3 0 West

6-9-78 Set a ½" x 22" rod at the location of the 1" iron found. The corner is 8.4 N. of ℄ E-W road and in ℄ of road N. Set 2 rods North on line to the Sec. Cor.

R.P.'s to corner

Old Disc in NW side pp# 8069 NE 53.20
" " " NE " " 7996 SE 64.0

Rod #1 (553.11 N.)

RP. Conc. Nail in S. side pp# 8071 E 41.66

Rod #2 (2015.70 N & 614.83 So. of Sec. Cor)

RP: Conc Nail in SE side pp# 8076 NE 52.16

1/16th W 5-11-78 Dug in the center of the E-W road from the line of the N-S fence East for 8'+ by 10' deep Hole ▭. Could not get deep enough for a good look

#651306 #3

1/4 Corner 13-14 Salem 106-15

6-26-1980 (1980 Remon. BK) 1/4 Cn 13-14: Set a 5/8" rod with cap from Rod #1 and Rod #2 set in 1978. Corner in ℄ of road North and appx 8½ North ℄ E-W road.

RP's: Old Disc in NW side pp # 8069 NE 53.29

Old Disc in NE side pp # 7996 SE 64.07

Punch ed cross top West end 18" CMP NW 43.16

Punch hole top East end 18" CMP NE 43.13

5-87 All RP's check OK. to rod & cap

5-28-82, 1/4 Cor. 13-14: Found 5/8 rod with cap and RP's taken 6-26-1980 OK.

1-18-83, 1/4 Cor 13-14: Set a 1"sq x 6" pipe with cap 8.20 North of the ℄ crack in new conc. on C.R. 25. Took no new reference as the 4 that are in place all fit.