#651809

1

1/4 Corner Center 18 Salem 106-15 2 (1)

5-26-1893 2t Fraser P508 No 477 S18 A Severts T Jacobson A Christian

set stone 4x12x12 at true inters lines.

-1/16 east set boulder stone N&L 20.01

-1/16 north drone stake N&L 19.93½ to boulder set on Line prop meas

-1/16 west set stone 3x8x22 on line 19.96½ (1317.7) then

19.36½ (1278.1) to W1/4 18 a 4x12x23 stone set on

total 2595.8 section line & in line fence west (Record)

-1/16 center NW 1/4 18 set 2 boulders at inters lines (no meas)

Bearing S. S15'W. W. N 89½ W

9-11-70 Co surv meas from iron set & road on N-S 1/16 line of E 1/2 sec. 18 - set hard nail in Center road at 1320.66 which is record as 1/2 of Center 18 To E 1/4 18. - Came 66.0' east of east edge of 1st pole south & balance of pole line south.
- ran one shot aerial from true E 1/4 18 to nail 1.1' north of Center line nail at 1/16 west of center 18. which was set same meas. south of 1/16 at Center NW 1/4 18 as meas north 1314.35
- this line fell .47' south of nail at center 18.
- to set true center should likely run N-S 1/4 line (quite a chore)
until proven otherwise point .47 S. of nail at center 18 is corner
should measure now east to C/M at 1/4 17-18.
- 16 west Corner 1.1 north varies & until proven otherwise.
came some 33.85 west of main boundary fence running north
11-10-70 finished aerial of E-W 1/4 line which fell 4.31' North of 2640 nail which is 8.74 less or. 2636.26 -
Set W 1/4 18 at 3.55 N & 120 D directly opposite 2640 nail
final on W 1/4 N 2627.71 R 2627.46 S 2631.05 R 2630.8

Card # 2 Center 18 Salem 10-15 #G51809 (2)

before setting Center 18 Try & run N-S 1/4 line and also see if W 1/4 18 set on line decided as run from east or adjusted .76 south at W 1/4 18 - rod in place at N 1/4 may be on 4.31' line or line as run exactly