X 6-29-72 set C/M over. Conc mon. & old stone found (1)
section corner. 20-21-28-29 Salem 106-15
#652105
6-1905 H Fraser P92B. S 28-29-30. Town Board.
corner gone replaced with stone as corner.
- meas S W 20. (stone set B Bros) To 1/4 21-28 (stone found)
set corner 40.02 1/3 dist. 2641.32
- meas 1/4 20-21 (stone found) to S W cor 28. (stake set from BT).
set corner 39.84 1/3 dist 2629.44.
-1, north set stake M & L 19.92 1314.72
-1/16 " " " 19.92 1314.72
-1/16 south " "

7-1911 C Larson. P160 B. S 17-20 H Halvereon, Larson.
Corner a stone 2 x 8 x 18 no meas
ones)

4-1933 J Kerr. B 8 P63. L 20.
Marked in book as ½" rod one boulder.
L 86½° W box elder 37.54
- meas north 2632.7 to boulder found.
- meas west 2640 To stake found.

placed on survey below

See below

5-31-28 J Kerr B-2 P39 placed corner ½" rod & boulder running to point on bldg

4-1953 Co Hwy Dept.
set 8 X 8 X 30 conc capped mon
Rec 8" cedar NW 89.4
Rec Oak post W 79.5

Belder L 86½° W 37.54
2640 E & W to ¼ corners
2632.7 N & S to ¼ corners

Meas N ¼ 28 to N ¼ 29. set midway 2640'
Meas W ¼ 28 to W ¼ 21 set midway 2632.7'
seems likely that when corner orginally set.

March, 1860 Samuel McDowell Pg 64 No. 90 shows Sec. Cor.
See Survey for S.W. ¼ Sec 20 & West ½ of Sec. 29

Card # 2 20-21-28-29 Salem 106-15 (2)
found orig 21 Frazer, J Kerr alone at 1/4 20-21 over 8' W and
1' S of Conc mon set by Co H D - 6-28-72 #652105
- Meas with electronic from new corner (C/M) at 1/4 20-21
south to 28-29-32-33 all record at 2029.44 each W.F.
C/M 1/4 20-21 to Conc M at 20-21-28-29 2625.58 3.86 short
Conc at 20-21-28-29 to Conc at 1/4 28-29 2632.67 3.23 long.
Conc at 1/4 28-29 to C/M at 28-29-32-33 2627.28 2.16 short
line betw 28-29 set straight but line from 20-21-28-29
over 1/4 28-29 Corner 3' + west of 28-29-32-33.
total 1 1/2 miles 1885.53 R 1888.32 short 2.79
6-29-72 dug with tractor found J Kerr alone with 3' iron
rod & much lava and broken porcelain. 3' east and 3.3' south
A county Conc mon - all County RPs of early day gone over

dug dug hole placed Conc mon 8x8x30 with base
well over 5' down with C/M on top 6" above top of Conc mon
placed iron rod below conc mon. Le chart 4-28-29
Mens north mon 2628 88 south 2629.37

71.05 SW To Center No plate 70226 E side P.P.

36.0 W to E edge square metal tele box post.

83.7 NW To SE Corner house direct slope (bottom of wood corner)

100.5 ± NW To Center W side 14" cedar tree in yard slope mean

107.45 NE To Center No plate 7637 on W side PP

Set by Michael Karrick G 1854
40.50 Creek 4 lks wide runs NE and leave Aspen thicket bears N.W.
80.00 Set post for corner to sections 20, 21, 28 & 29 erected mound
with trench pits charred stake and Osage Orange seeds at each angle.