/ 6-21-72. set C/M over orig stone. #652306 (1)

1/4 corner 22-23 Salem 106-15.

6-1874 Hunter P254 no 254 & 23 & Niles Nels Nelson found stake in mound & pits evidently on down line

-1/16 north corner corner in creek set stake 4' north.
true corner N & L 19.89 1/2 1313.07 & 33' E

-1/16 south set stake N & L 19.93 1/2 1315.71

-1/16 center & W 1/4 23 set stake N & L 19.94 1316.04 E-W 1/16 line N 89°17E

-1/16 east set stake N & L 20.01 1320.66 N 89°17'E

6" bur oak N 81°E 52 1/2 lks — 6" bur oak & 34 1/2°E 108 lks.

9-1891 Thos Fraser P455 no 439 & 22 J Vosberg & town board. found stone set by settlers from Hunter stake P254.

over)

– 1/16 south found stake after running 1/4 cor south. it proved
M & L 19.92½ 1315.05 set stone 6 x 8 x 20 with B tree.
N 22½° E 4" burr oak 23 lks (15.18'
– Meas north 39.69 (2618.22

12-1894 H Fraser P562 no 516 Sec 23 P Sorenson
rels Hanson Holtz.
found stone P 455.
– 1/16 south found stone P 455.
– 1/16 east set stone & stake M & L 20.01 took B tree.
6" burr oak S 3° E 111 lks
– 1/16 center S W 1/4 23. set stone & stake M & L 19.94½ N-S 1/16 line
1316.37.

See Card #2.

Card # 2. 1/4 22-23 Salem. 106-15E #652306 (2)

6-21-72. search for corner. found 1/16 stone east had been moved or tipped over - found W Fraxes B tree 6" brok S 3°E 111 lks which checked with point in sub soil N4 corner post 7326 4 fences E-W-N. - went to center section 23 very steep slope from Valley west and hill south fences all anchored to 18" oak wooded E and S. no corner evident without more work.

- Meas 1/16 stone next west 1320.66 BOLL
- Could not meas south to recorded 1/16 stone due to biting animals.
- Zaped from 22-23-26-27 west 2642.88 R 2639.32

also Zap 1/4 22-27 north 2620.5 to random nail

computed Meas E side SE 1/4 22. after finding stone 2628.3

also Zap from stone to nail in center black log at center 22 est 2629 ±

over.

found large limestone 4 x 8 x 24 ± down. 2.5'
just north center road in exact line corner post & fence
running north. - set cast iron over stone with ele
fence post driven on E side stone level to top of stone.
- corner about 1' east of rough mean from east.
- ~~19.3. Gone~~ N to cone nail on W side corner post.
44.3 SW to cone nail NW side PP 38109.
176.2. E To eye line west side new house (addition)
on N. side Road
203.0 NE To NW corner new addition of house foundation.
8-15-73. road to be graded - did not remove C/M. set 5/8"
rod in field down 8" at 60.0' on transit line to center
corner post at woods line south 500 ±'
this rod 50' NW to center PP 38109. which may remain

#6523506 (3)

1/4 Corner 22-23 Salem 106-15

Set by Michael Karrick 6 1854

40.00 Set quarter section post in mound with trench pits charred stake and Osage Orange Seeds NE & SW

59.70 Creek 5 lks wide runs NE.

63.40 Creek 18 lks wide runs NE.