/ 6-23-72 set C I N over stone and iron & wood stake. #652405 (1)

section corner. 23 - 24 - 25 - 26 Salem 106-15

5-1873 Hunter P222 no 225 L 25, L Hall, E Dwyre
L Hanson, M. Donald.

Corner gone. reset stake center road by witness tree.
even with surface of road.

1318.35

- 1/16 south set stake N & L 19.97 1/2 N10'W.
6" J oak N 77 1/2° W 19 lks — 6" pine S 7 1/2° W 21 lks.

6-1874. Hunter P254 no 254 L 23 L Riley, N Nelson.
found stake set P222.
1/16 west set stake N & L. 20.01 1320.66.

4-1898 H Fraser P624 no 566 L 24. K Larson. E Erickson.
corner gone. run line W 1/4 25 over 1/16 north P 222 found

over)

set stone 2 x 9 x 18 as corner. on prop line & double mnds.
1318.0
- 1/16 north set stake M & L. 19.97. N ½° E 1318.02.
- 1/16 east set stake & stone M & L. 19.98. 1318.97 S 88° 50' E
- 1/16 center of W¼ 24 set stake M & L. 19.98½ 1319.0' E-W 1/16 line.

8-1959 Mr Shue dug for corner found nothing. 18" deep in line fence running north.
- set rod in line fence north 3' ± north of center road.
- meas east to stone found. 2636'

Removed This Rod

Card # 2 23-24-25-26 Salem 106-15. (2)
#652405
6-22-72 found rod set by Mc Ghee survey 8-1959.
dug dup in area of iron south several feet tele cable
proved to be north edge road surface
6-23-72 consulted tele company - located cable
dug north of area dug 6-22 - tore up another cable but
found homeline 3' deep ± 2.1 north and 1.22 east of rod.
set ½" iron west of stone where wood stake was found.
set C/M over stone & iron
6' south to center traveled road. no plate
39.45 ESE. To Concrete nail NE side PP just E of # 7812
59.25 NW to bottle cap in abondoned small tele pole.
109. NEly to 20 D SE side 24" burr oak slope meas.

over

found limestone and iron. at 1/4 24-25.
Meas west 2636.5 To stone found R 2637.4

Set by Michael Karrick 6-1854

8000 set post for corner to sections 23, 24, 25 & 26
Burr Oak 12 S 58 E 207
Dug Trench