4-29-1968 set C/M. over orig stones & sash weight with 6x8x30 granite bn N side down 16" (1)

#652606

1/4 Corner 26-27 Salem 10 6-15

3-1878 Hunter P331 no 325 S27 C Johnson ital.
found stake in center road covered by Mr Fosdick as same as one in orig mound & put
set stone 4x6x15 well down with 7x10x18 on top.
-1/16 north set stake M & L 20.04 1/2 (1328P) To corner in mound.
-1/16 south set temp point M & L 19.90 1/2 for line west (N 1° E).
to stone found. set in previous survey (1313.73)
-1/16 west set boulder stone 4 1/2 x 9 x 28 M & L 20.09. N 89° 15 W.
found 8-15-73 Lee Center 27 325.94
-1/16 center NE 1/4 27 set stake intersect lines (parties will set stone)
-1/16 center SE 1/4 27 " " " "

(over)

stone found by A & Lankston - used J Kerr 1968.
4-1968 J Kerr as ground frozen 1967 dug deep to check
validity of records placed C/M over top stone. with
slab weight by stone on north side
also stone from adj field north of stone & monument
6 x 8 x 30 very pointed, lower than top of monument
which is 8" below surface.
corner lies 7' from N edge road - 3' north of centerline
bottle cap power pole WNW 128.25'
5/8" x 2' rod. under fence south 50.0

6-1887 Hunter P426 no 409 & 26 Alice Starkson
found stone P331.
9/16 east set stone N & L 19.84 1/2 (2629.77). dug extensively for this 1/16
with tractor, road in too steep slope from East road goes to clay.

#652606 (2)

1/4 Corner 26-27 Salem 106-15

Set by Michael Karrick 6-1854

40.00 Set quarter section post, No trees of sufficient size for bearings therefore erected mound with trench pitt charred stake and Osage Orange Seeds NE & SW