X Set CIM over pipe & Stone #652706 (1)
10-29-73 corr + 3-17-75

1/4 Corner 27-28 Salem 106-15

3-1878 Hunter P331 No 325 S27. & Johnson, etal found marked stake by side of remains of orig stake. by fence post of N-S fence covered by E. Alvord. - 1/16 east set stake M & L 19.96 1/2. (1317.7)

5-28-28 J Kerr B-2 P37 S28.
used corner to SET. center. 8"x10"x26" P38.
- Meas West 1 mile 5284.65 - 2645.63 east half.
E-W 1/4 line section 28 2639.02 West half.

1933 Co Hwy Dept found stone used to align road. B76. P4
Lp w/dbw N 43.6 - L tele pole L.E. 47.7 Tree gone.
County stations center 28 157.250 - 1/4 27-28 130.803
center 27 105.356 Sta P.I. & W. Sat Center 27 PI 90°14' Rt. to meet

Center 28 east 2644.7 to 1/4 27-28

corner lost 1968- Δ at 1/4 27-28 0° 13' Rt going east.

Center 27 west - 2634.6 to 1/4 27-28 True Meas.

-RPS willow tree N 43.6 tele. pole S.E. 47.7

Note - corner must be found to reset Center 28 - must dig

W 1/4 28 GH 2638.60 JK 2639.02. Center 28 CoH 2644.70 JK 2645.63. 1/4 27-28 CoH 2634.6 Center 27.

3- 1972. Meas west with Center 27. (later proven correct) ac.00

- found 1/16 fence south at 1304.15'
- found McGhee PK at 2626.13
- pulled PK and reset in center road at 2634.6. (County Meas).

RPS to PK. 34.18 S to Conc nail on W side PP 7914

70.3 SE to conc nail in knot on NE side 18" pine up 38"

Cont Meas west set nail at 2644.7 RJKerr BLT PLS 2645.63

Note - before digging pipe line from 1/4 26-27 over center 27 ac no record of any bonder at 1/4 27-28. 8-15-DB levee 5.0 S

Card # 2 1/4 27-28 Salem 106-15 #652906 (2)

8-15-73. projected line carefully from CIM at 1/4 26-27. over CIM at Center 27 and line fell 5.0' south of PK nail set 3-1972 on mean of 2644.7 west of Center 27.

- also found stone at 1/16 east of Center 27 which came .2' south of 1/4 line and 1.1' east of midway. (Center may have been replaced by Co HD too far west 1934

10-29-73 dug with axe hammer and back hoe, found limestone with 4" □ top larger (5"x8") in middle with bottom coming to rounded point very vertical with indication it once was much lower and raised To its present place near old road surface. Large wood stake in soft area beneath stone.

over

set 1¼ x 30" pipe in lower area with stone on top and CIM flush with road surface 4 black lug.
- stone & nail .3' west and 1.4' north of nail. (Traverse nail)
45.25 3' W & N to cone nail west side PP# 7713 (cone nail)
68.26 S E to 40 D rail in knot N side 20" pine (by cone nail)
30.6 S To cone nail west side PP # 7714
69.33 W SW To punch mark S end 24" road culvert
flare clamp lug
Center 27 non knot pine line .7' south of direct line

Set by Michael Karrick 6-1854
40.00 Set quarter section post in mound with trench pits charred stake and Osage Orange seeds NE & SW