10-21-70 set C/M in B top road one 1½" x 24" pipe. (1)

section corner West 30-31 Salem 106-15
east 25-36 Canisteo 106-16 DC.

#653005

no records -
Alm Co Hwy Dept B210.

assumed corner.
Sp Dec tele pole
" top for past

S.W. 5168.
N.W. .85D3

10-19-70 Co surv found 40D nail in center blacktop road. Tried to reproduce corner claimed once in place by description of Sarah Zumbo church cemetery boundries. Deed calls for orig church property Deed book 330 P141 also B42 P190 and 191 John Nelson & wife to Evangelical Lutheran church society - from section corner north 39½ rods (651.75) then 10 rods (165') east then north 16 rods 264.0 same west 8 rods (over

reproduced line from grave lot markers and 1/4 corner north W'ly 30 - dug in blacktop found hub (2x2) with small stone below (evidently not true corner as road cut away but very close to line & meas from north proving in fact some surveyor used same methods. set 1/2" rod with large pipe below at N-S ℄ hub & 0.5' East of Hub and line from W'ly 30 and Cemetery boundaries: 5' square control markers with crosses 20' apart. Meas north from corner set about .6' more than 65'.75 as in deed all grave markers did not line perfectly - very little doubt as to 965' depth of lot L.
- Came 2.0' north and 1.55 west of county road - will set CIM later
- 10-21-70 set CIM in black cap just below road surface
- NE corner metal tile box 1.6 SW 73.68
- corner lime rock foundation barn ground level NE cor- SE 115.67
- orange brute cap on power pole NE 40.1.
- 16D in bark of 36" x 50" tree to oak. Ends up 3' NE 88.85.

Set 1 1/2" pipe below CIM in soft sand 24" long.

#653005 (2)

Section Corner West 30-31 Salem 10 6-15
East 25-36 Canisteo 10 6-16 PC

Set by John Ball 10-1853

80 00 Set post corner to Sect. 25, 30, 31 and 36
Black Oak 10 S 20 W 72 links
Black Oak 14 N 60 E 108 "
Black Oak 14 S 2½ E 88 "
Black Oak 10 N 15 W 562 "

(653005)

5-25-99

W 30-31 106-15 Salem

Set Ref pipe SE of Corner

4½' north of PP# 3793

π@ Ref pipe

Rt PK in PP # 3789 (1st pole west of Corner on No side CR 17

38°26'18" 39°21'02"

0°02'02" 0°56'38"

38°24'16" 38°24'24"

To W 30-31 (CIM)

VA 88°47'00"

Slope 62.935 Hor 62.92

"653005" W SEC COR 30-31 106-15 SALEM 10-21-99
SURVEY CREW SET PK NAIL AT SURFACE FROM TIES. LPA MC