~~No Records~~ 9-30-70 set CIM over remains of part of original township corner monument - 20" ± (1)
Dodge Co. Surv. 1883 records #653105

section corner SW corner Section 31 Salem 106-15
NW " " 6 Rock Dell 105-15
and SE 36 Canisteo 106-16 - NE 1 Vernon 105-16.

found about 20" of original twp corner mon with tractor.
- also found Perk Higham CIM .9' East and 2.3' south of stone.
- set small curved iron 6" long on SE side of 1½"X12" of NW side of monument. - mon set so corners faced compass directions
- 1¼ X 32" steel Conduit up 1" under fence W-side S. 100'
- pepsi cap NW side PP # 8790 NE ~~#212~~ #3.43
- root beer cap SW side PP # 8799 NW ~~#115~~ 14.43
- south road fence running east S 30.2
- corner lines in four line fence south and grade E-W-N

10-21-70 Co surv enlisted Caterpillar trailer & road grader Forest W hauler to dig & W'ly 31 and 1/10 south. - found 1/10 limestone 6" or 7" range in clear soil at exact meas & random & 10-19-70 when lathed line run from sweep corner to W 30-31 ran set corner alone came 4.46 west & line which veered shown W'ly 31 west 9.92 or nearly off road dug away entire road area to clean cut - gravel at W'ly 31 many boulders in fill, road indications not favorable for stone to showing corner 200' north of crest on slope.
1319.5
RP 1/16 16 D nail N side cherry 12 fence E up 30" 84.56
- 1/4" x 3' thin tube on transit line from wheel nail enters tree over alone west 70. Came 1' south fence wire set no rise in pre-graded

Set by John Ball 10-1853
79.95 set post and drove charred stake corner to Township 105 and 106 North of Range 15 and 16 west 5th Mer. Built mound with trench planted 56 Osage orange NE Apple seed.

#653105 (2)

Section Corner SW Corner Section 31 Salem 106-15
NW " " 6 Rock Dell 105-15

1/16 corner North 9-18-81: Dug down to top of stone found in 1970. Found stone down 2½', in line with fence West and 3½' West ℄ N-S road. Stone 3.55 West and .85 South of the traverse nail. Set 5/8" rod at road surface.