#653605 (1)

section corner south 35-36 Salem 106-15
North 1-2 Rock Dell 105-15.

5-1873 Hunter P220 no 224 S36 & Lee L Hoskins
Peter Anderson.

found stake in center road claimed to be where org. stake stood.

1/16 North & east set temp stakes N & L no meas.
North stake likely very near 20.02± sec 1/4 35-36.

1/16 center SW 1/4 36 set stake true intersc lines.

11-4-69 McGhee & Betts assist.

found large nail in center black top slightly south center line of roads east and west.

(over)

on meas from fence E & W at NW cor 36 found
E-W fence at 1/4 35-36 2638.3 and center twp
road running east at 1319.5
- station of nail near 5279'
accepted nail as corner. under present circumstances

1960 B242 P5. set 60D spike
Disc in T.P. NW 64.85
Sta 367+85.10 PI

Set by John Ball 10-1853
80.00 set post and drove charred stake Corner to Sections 1, 2, 35 and 36
Built mound with trench per instructions. Planted SE Osage Orange
NE apple seed
East Sixty chains rolling scattering Oaks West twenty chains
level prairie bottom

#653605 (2)

Section Corner South 35-36 Salem 106-15
North 1-2 Rock Dell 105-15

10/3/78 Dug from traverse nail (1½' W & and in ℄ E-W roads) West 1', North 4½', South 4½', East 8½' by 5' deep to clay. Found nothing.

Nail { 10.0 N / 10 0W

7-3-1980 (1980 Remon. Book) 1/16 East: Dug from 4' East of t.n. East for 9', North 4', South 4' by 4' deep to clay (Pt to corn was 7.2 East of the t.n.) There was appx. 1' of natural soil on clay but it was already pretty light colored Found nothing. Diggings to cover M&L from CIM @ S¼ 36 to t.n. @ S 35-36

8-13-1980 (1980 Remon BK) S. 35-36 : Set a CIM over a ½" x 18" iron. Corner is 5' South of ℄ Rd West, 6½ South of ℄ Rd. East, and 2.8 East of ℄ N-S Rd (Co. Rd #15)

RP's: CSD in pp ESE 97.33
CSD in pp # 7326 NW 59.70
Punch + in South end 30" Culvert SW 40.48
Punch + in North end 30" Culvert NW 43.89

This corner set at Hunter's measure from the S. ¼ Cr 36 and at Hunter's (1873) prorated measure from Sec. Cr 25-26-35-36 (prorated) against our measure from ¼ Cr 25-26 to Sec. Cr 25-26-35-36.

SECTION CORNER SOUTH 35-36 SALEM 106-15 (3)
NORTH 1-2 ROCK DELL 105-15
#653605

6-27-96 FOUND CIM 4" DEEP IN CR #15, SET 1" SR REF PIPE W/CAP ON SOUTH SHOULDER CR #126 WEST OF CR #15 SOUTH OF ℄ CR 126.

T@ REF PIPE
4RT P.K. IN P.P. #24906 2ND POLE WEST OF CR #15 ON SOUTH SIDE CR 126 TO SOUTH SEC COR 35-36
180° 50' 50"
TO SEC COR HOR 102.23

REMOVED CIM 6-27-96

10-24-96 CHD SET 1" SR PIPE W/CAP